


**BALT**









#89775  
**Flipper-60**  
60" Conference Table



# Assembly Instructions

# Flipper-60

60"Conference Table

Part	Drawing	Description	Qty	Part	Drawing	Description	Qty
P1		Top Platform	1 EA	P8		Crossbrace	1 EA
P2		Left Leg	1 EA				
P3		Right Leg (with Spring)	1 EA				
P4		Metal Stability Panel	1 EA				
P5		Welded Rod Assembly	1 EA				
P6		Left Side Handle	1 EA				
P7		Right Side Handle	1 EA				

**Hardware List**

A		9/16" Socket Screw	4 EA
A1		1-3/8" Socket Screw	2 EA
B		1-7/8" Socket Screw	4 EA
C		Plastic Grommet	2 EA
D		2" Locking Caster	4 EA
E		Allen Wrench	1 EA
F		Caster Wrench	1 EA

We recommend that you assemble this unit on a table.

**Missing Parts or UPS Damaged Parts**  
For Your Convenience you can  
EMAIL us at  
**furniture@baltinc.com**  
24HOURS 7 DAYS A WEEK

**Should you require assistance during assembly,  
please call our Customer Service Department  
Monday - Friday 8 a.m. - 5 p.m.  
Central Standard Time 1-800-749-2258**


Do not use unless all screws are tight. At least every six months, check all screws to be sure they are tight. If parts are missing, broken, damaged, or worn, stop use of the product until repairs are made by your dealer using factory authorized parts.

# Flipper-60 Assembly Diagram

**BALT**  
®


**READ THROUGH INSTRUCTIONS FROM BEGINNING  
TO END BEFORE STARTING TO ASSEMBLE UNIT.**

- 1.) Identify and Separate all the Parts and Hardware.
- 2.) Slide the Right Side Handle (P7) Through the Right Leg (P-3) and into the Welded Rod (P5) as shown in illustration #1. Rotate Right Side Handle (P7) until holes are aligned (See illustration#1). Secure using 1 Screw (A).
- 3.) Slide the Left Side Handle (P6) Through the Left Leg (P-2) and into the Welded Rod (P5) as shown in illustration #1. Rotate Left Side Handle (P6) until holes are aligned (See illustration #1). Secure using 1 Screw (A).




**Illustration #2**

- 4.) Attach Metal Stability Panel (P4) and Crossbrace (P-8) to the Right Leg (P-3) and Left Leg (P2) using 2 Screws (A) and 2 Screws (A1) as shown in illustration #2.




- 5.) Insert Spring on Right Leg (P3) into the notch in Welded Rod (P5) as shown in illustration #3.



6.) Place the Top Platform (P1) with the insert nuts facing up. Attach Right Leg (P-3) and Left Leg (P2) using 4 each (B) screws as shown in illustration #4.  
**(Finger tighten only)**

7.) Attach 4 each (D) Locking Casters to the front and back of the Right Leg (P-3) and Left Leg (P2). Tighten Casters using Caster Wrench (F).

**(Tighten all screws using Allen Wrench (E).)**



(B) Screw M6 X 1-7/8"  
For Scale only






Illustration #4

8.) To install Grommet (C), separate parts and press Grommet Sleeve in rectangular openings in Top Platform (P1) as shown in illustration #5.

**Grommet(D) installation  
Illustration #5**

9.) Snap 2 plastic Caps over top of Sleeve as shown in illustration #5.

10.) Repeat Steps 8 & 9 for second Grommet(C).



The Balt product you have purchased is guaranteed against material and workmanship defects. This guarantee extends 1 year from date of purchase. Should this product fail to function satisfactorily under normal use due to defect or imperfection, the defective part or product will be replaced. Damage caused by common carriers during shipment is not included in this guarantee.


**This guarantee sets forth all applicable guarantees and remedies. No other warranty, expressed or implied shall apply. Failure to follow instructions found in Important Information Section of Owner Sheet shall void the guarantee. Consequential or incidental damages and or costs are not refundable.**

# 89775 Flipper-48HR


## 48" Half-round Conference Table

**BALT**  
®

For more information  
**1-800-749-2258**



Shipping Information  
5.4 Cubic Feet  
70 lbs.



Shipping Information  
1.9 Cubic Feet  
24 lbs.

