

## 36U Adjustable 4 Post Server Equipment Open Frame Rack Cabinet

**Product ID:** 4POSTRACK36



The 4POSTRACK36 Adjustable Depth 36U 4-Post Rack provides a durable, open frame housing for rackmount servers and networking equipment. This TAA compliant product adheres to the requirements of the US Federal Trade Agreements Act (TAA), allowing government GSA Schedule purchases.

The equipment cabinet features heavy gauge mounting rails to ensure a stable installation platform and adjustable posts for flexible installation.

The 36U rack is compliant with EIA-RS-310C standards, offering a universal design that's compatible with equipment from popular manufacturers. Plus, the equipment rack is flat-packed, reducing shipping costs and simplifying handling and assembly.

For added versatility, StarTech.com offers an optional 4pc Caster Kit (4POSTCASTER) that can be installed on the bottom of the 36U server rack, making it easier to re-position the cabinet/rack as needed for future uses.

StarTech.com also offers the following Open Frame 4-Post Rack/Cabinets:

- 12U Open 4 Post Rack/Cabinet
- 25U Open 4 Post Rack/Cabinet
- 42U Open 4 Post Rack/Cabinet

Backed by a StarTech.com Lifetime warranty.

### Certifications, Reports and Compatibility



## Applications

- Durable storage for rackmount servers, KVM switches, and networking equipment
- Perfect solution for Technology shops and repair centers with limited space and mountable equipment
- Audio/Video editing room, radio or television studio broadcast rackmount equipment
- Great for satellite offices, and retail locations where a small amount of server equipment is setup
- Suitable for rack mount equipment where security at the rack level is not required

## Features

- **UNIVERSAL DESIGN:** This adjustable 36U audio video rack is compliant with EIA-RS-310C standards, offering versatility that's compatible with computer components from various popular manufacturers
- EIA-RS-310C36U
- **BUILT TO LAST:** The 4-post open frame communications rack supports up to 1000 lb (452.5 kg), has a total product height of 70.3in (178.6cm) with casters and is compliant with EIA-RS-310C standards
- 452.5kg178.6cmEIA-RS-310C4
- **ADDED VERSATILITY:** The network and data equipment cabinet features heavy gauge mounting rails for a stable installation platform and adjustable posts for flexible installation of your server equipment
- 
- **TAA COMPLIANT:** The 36U 4-post media cabinet is a TAA compliant product that adheres to the requirements of the US Federal Trade Agreements Act (TAA), allowing government GSA Schedule purchases
- TAATAAGSA36U 4
- **THE IT PRO'S CHOICE:** Designed and built for IT Professionals, this adjustable 36U rack is backed for life, including free lifetime 24/5 multi-lingual technical assistance
- StarTech.com30IT

---

### Hardware

Warranty	Lifetime
Wallmountable	No
Rack Type	4-Post
Frame Type	Open Frame
U Height	36U

Special Features	Adjustable Mounting Rails
	Base Plate with Floor-Anchoring Holes
	Casters (Optional)
	Easy Assembly
Mounting Rail Profile	C-Shape
Mounting Hole Types	Square (For Cage Nut)
Industry Standards	EIA/ECA-310-E

---

#### Performance

Weight Capacity	997.7 lb [452.5 kg]
-----------------	---------------------

---

#### Physical Characteristics

Color	Black
Construction Material	Steel

---

#### Product Measurements

Product Length	23.7 in [60.1 cm]
Product Width	22.6 in [57.3 cm]
Product Height	67.5 in [171.5 cm]
Weight of Product	96.0 lb [43.5 kg]
Maximum Mounting Depth	39.4 in [100 cm]
Minimum Mounting Depth	18.3 in [46.6 cm]
Product Height with Casters	70.3 in [178.6 cm]

---

#### Packaging Information

Flat Pack (Assembly Required)	Yes
Package Length	5.9 ft [1.8 m]
Package Width	25.3 in [64.2 cm]

Package Height	6.7 in [16.9 cm]
Shipping (Package) Weight	104.0 lb [47.2 kg]

---

**What's in the Box**

Included in Package	1 - 36 U Open Rack
	1 - Assembly Kit (Screw, wrench, caps)
	62 - M5 Screws
	62 - M5 Cage Nuts
	1 - Assembly Instructions

---

***\*Product appearance and specifications are subject to change without notice.***