# **HP Color LaserJet Enterprise MFP M577 Series**



Conserve energy and boost productivity with a colour MFP that delivers multi-level device security.<sup>10</sup>

Ideal for enterprises and medium businesses that need a secure, highly productive, energy-efficient colour MFP.



**HP Color LaserJet Enterprise MFP M577dn** 



**HP Color LaserJet Enterprise MFP M577f** 



**HP Color LaserJet Enterprise Flow MFP M577z** 

#### High-speed performance meets energy efficiency

- Don't wait for documents. Print your first page in as few as 9 seconds from energy-efficient sleep mode.<sup>2</sup>
- Speed through jobs on a variety of media. Print and scan both sides of the page at once.
- This MFP uses exceptionally low amounts of energy—thanks to its innovative design and toner technology.<sup>3</sup>
- Choose a maximum capacity of up to 2,300 sheets.8 Print up to 59 pages per minute on A5.9

### Unparalleled fleet security and management

- Embedded features detect security threats and heal your MFP, protecting it from boot up to shutdown.<sup>10</sup>
- Protect sensitive data on the MFP and in transit, using embedded security features and 256-bit encryption.<sup>10</sup>
- Protect sensitive business data with embedded and optional HP JetAdvantage Security Solutions.<sup>11</sup>
- Centralize control of your printing environment with HP Web Jetadmin—and help build business efficiency.<sup>12</sup>

#### More pages, performance, and protection

- Make an impression with best-in-class colour from HP. Get unparalleled print quality for your office.
- Enhanced performance across a wide variety of paper media with Automatic Media Type Sensor.
- Get more pages with each Original HP Toner cartridge with JetIntelligence and high-yield cartridges.<sup>1, 13</sup>
- Help ensure the Original HP quality you paid for with anti-fraud and cartridge authentication technology.
- Print right away with preinstalled toner cartridges. Replace them with cartridges featuring auto seal removal.

#### Stay connected with secure mobile printing options

- Enable 128-bit encrypted wireless direct printing from mobile devices—without accessing the network.<sup>5</sup>
- Print with just a touch of your NFC-enabled mobile device to this printer—no network needed.<sup>6</sup>
- Easily print from a variety of smartphones and tablets—generally no setup or apps required.<sup>7</sup>
- Easily access, print, and share resources with Ethernet and optional wireless networking.<sup>4</sup>


Nore pages versus predecessor cartridges claim based on page-yield comparison of HP 507A High Yield Original LaserJet Toner Cartridges with HP 508X High Yield Original LaserJet Toner Cartridges. For more information, see hp.com/go/learnaboutsupplies \*Based on HP internal testing of top three leading competitors\* first page out from sleep mode and duplex print and copy speed completed 8/2015. Subject to device settings. Actual results may vary. For details, see hp.com/go/Ljclaims \*Based on HP testing using the ENERGY STAR\* program's Typical Electricity Consumption (TEC) method or as reported in energystar.gov versus the top three leading competitors as of 8/2015. Actual results may vary. For details see hp.com/go/Ljclaims \*Wireless networking requires purchase of the HP Jetdirect 2900nw Print Server. Wireless performance is dependent on physical environment and distance from access point, and may be limited during active VPN connections. \*Wireless direct printing is standard on the HP Color LaserJet Enterprise MFP M5772 only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Color LaserJet Enterprise MFP M5774n/f. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see hp.com/go/businessmobileprinting \*For more information, see hp.com/go/businessmobileprinting\* PM5772 only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Color LaserJet Enterprise MFP M577dn/f. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting \*P MFP M577dn/f. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/brinterclaims. Exact speed varies depending o

# **Product walkaround**

- 1 Intuitive 8-inch (20.3 cm) colour touchscreen tilts up for easier viewing
- 2 Convenience stapler
- 3 Pull-out keyboard for easy, accurate data entry
- 4 Convenient front on/off button
- 5 Right door (access to print path)
- 6 100-sheet multipurpose tray
- 7 550-sheet input tray 2
- 8 100-sheet ADF with single-pass, two-sided scanning and HP EveryPage
- 9 Hardware Integration Pocket¹ (for connecting accessory and third-party devices)
- 10 Easy-access USB port to save and print files directly<sup>2</sup>
- 11 Built-in wireless direct printing<sup>3</sup>/NFC touch-to-print<sup>4</sup>
- 12 250-sheet output bin
- 13 Front door (access to HP JetIntelligence Toner cartridges)
- 14 Built-in automatic two-sided printing
- 15 1.25 GB standard memory (upgradeable to 2.0 GB) and a 1.2 GHz processor
- 16 HP High-Performance Secure Hard Disk
- 17 Fax port
- 18 HP Jetdirect Gigabit Ethernet print server
- 19 Slot for optional cable-type security lock
- 20 Hi-Speed USB 2.0 port (for connecting third-party devices)
- 21 Hi-Speed USB 2.0 printing port

#### HP Color LaserJet Enterprise Flow MFP M577z shown





# Series at a glance







Model	MFP M577dn	MFP M577f	Flow MFP M577z
Product number	B5L46A	B5L47A	B5L48A
100-sheet tray 1, 550-sheet tray 2	✓	✓	✓
500-sheet input trays 3, 4 and 5	Optional	Optional	Optional
Printer cabinet	Optional	Optional	Optional
HP High-Performance Secure Hard Disk	✓	✓	<b>✓</b>
100-page ADF with single-pass, two-sided scanning	✓	✓	✓ (Plus HP EveryPage)
Fax capability	Optional	✓	<b>✓</b>
Convenience stapler	Not available	✓	✓
Advanced workflow features including pull-out keyboard	Not available	Not available	✓
Wireless direct printing³/NFC touch-to-print⁴	Optional	Optional	✓

¹ Solutions deployed through the Hardware Integration Pocket may require additional purchase. ² An administrator must enable the easy-access USB port before use. ³ Wireless direct printing is standard on the HP Color LaserJet Enterprise MFP M577z only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Color LaserJet Enterprise MFP M577dn/f/c. Mobile device needs to be connected directly to the Wi-Fi network of a wireless direct-capable MFP or printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see hp.com/go/businessmobileprinting ⁴ Touch-to-print capability is standard on the HP Color LaserJet Enterprise MFP M577z only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Color LaserJet Enterprise MFP M577dn/f/c. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see

## **HP Services**

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. Choose from:

**Optimized Care (optimum performance** and stability): 4 hour Onsite Support. Maintenance Kit Replacement Service. Installation with Network Configuration Service

#### Standard Care (high level of uptime): Next

Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

**Basic Care (minimum recommended** support): Next Business Day Onsite Support

**4 hr Onsite Support:** Onsite support within four hours after a service call received within the coverage window

**Next Business Day Onsite Support:** Onsite service the next business day after the service call is received

### **Maintenance Kit Replacement Service:**

Onsite replacement of your printer's maintenance kit including parts, materials, and labor

#### **Installation with Network Configuration**

**Service:** Assembly, network configuration, and basic administrator familiarization

For more information about HP Care Pack, HP Contractual, or HP Managed Print Services, visit hp.com/go/printservices



















# **Top Features**

This efficient MFP is designed to conserve energy without sacrificing productivity—so users can speed through tasks and move business forward. It also uses exceptionally low amounts of energy—thanks to its innovative design and toner technology.<sup>2</sup>

Trust your MFP is secure from power-up to power-down. Get strong protection for devices, data, and documents with embedded and optional security features while centrally managing your entire fleet.7

Bring out the best in your MFP. Print more high-quality pages than ever before, using specially designed Original HP Toner cartridges with JetIntelligence. Count on the authentic HP quality you paid for—something the competition can't match.

Enable secure wireless printing in the office—with or without network access<sup>4</sup>—and keep users connected with Ethernet and optional wireless networking.<sup>3</sup> Print with just a touch from mobile devices.5

Product	
B5L46A	HP Color LaserJet Enterprise MFP M577dn
B5L47A	HP Color Laser Jet Enterprise MFP M577f
B5L48A	HP Color LaserJet Enterprise Flow MFP M577z
Accessories	
B5L34A	HP Color LaserJet 550-sheet Media Tray
B5L51A	HP Color LaserJet Printer Cabinet
B5L28A	HP Internal USB Ports
E5K48A	HP 1 GB DDR3 x32 144-Pin 800MHz SODIMM
F5S62A	HP Trusted Platform Module Accessory
B5L31A	HP Foreign Interface Harness
B5L53A	HP LaserJet MFP Analog Fax Accessory 600 (only on M577dn)
J8031A	HP Jetdirect 2900nw Print Server
J8030A	HP Jetdirect 3000w NFC/Wireless Accessory (only on M577dn and M577f)
A7W12A	HP LaserJet Keyboard Overlay Kit for Simplified Chinese & Traditional Chinese (only on M577z)
A7W14A	HP LaserJet Swedish Overlay Keyboard (only on M577z)
Orderable supplies	
B5L35A	HP LaserJet 110v Fuser Kit
B5L36A	HP LaserJet 220v Fuser Kit
B5L37A	HP Color LaserJet Toner Collection Unit
B5L52A	HP 200 ADF Roller Replacement Kit
Q7432A	HP Staple Cartridge Pack (only on M577f and M577z)
Supplies <sup>6</sup>	
CF360A	HP 508A Black LaserJet Toner Cartridge (~6,000 ISO yield)
CF360X	HP 508X Black LaserJet Toner Cartridge (~12,500 ISO yield)
CF361A	HP 508A Cyan LaserJet Toner Cartridge (~5,000 ISO yield)
CF361X	HP 508X Cyan LaserJet Toner Cartridge (~9,500 ISO yield)
CF362A	HP 508A Yellow LaserJet Toner Cartridge (~5,000 ISO yield)
CF362X	HP 508X Yellow LaserJet Toner Cartridge (~9,500 ISO yield)
CF363A	HP 508A Magenta LaserJet Toner Cartridge (~5,000 ISO yield)
CF363X	HP 508X Magenta LaserJet Toner Cartridge (~9,500 ISO yield)

#### **HP Care Packs**

U8TH7E U8TH8E U8TH9E U8TJ0E U8TJ1E U8TJ2E U8TJ3E U8TJ3E U8TJ5E U8TK8PE U8TK8PE U8TK9PE	HP 3-year Next Business Day + DMR Color LaserJet M577 MFP Hardware Support HP 4-year Next Business Day + DMR Color LaserJet M577 MFP Hardware Support HP 5-year Next Business Day + DMR Color LaserJet M577 MFP Hardware Support HP 3-year 4h 9x5 + DMR Color LaserJet M577 MFP Hardware Support HP 4-year 4h 9x5 + DMR Color LaserJet M577 MFP Hardware Support HP 5-year 4h 9x5 + DMR Color LaserJet M577 MFP Hardware Support HP 3-year 4h 13x5 + DMR Color LaserJet M577 MFP Hardware Support HP 4-year 4h 13x5 + DMR Color LaserJet M577 MFP Hardware Support HP 5-year 4h 13x5 + DMR Color LaserJet M577 MFP Hardware Support HP 1-year Post Warranty Next Business Day + DMR Color LaserJet M577 MFP Hardware Support HP 2-year Post Warranty Next Business Day + DMR Color LaserJet M577 MFP Hardware Support
U8TK9PE U8TL0PE U8TL1PE	HP 2-year Post Warranty Next Business Day + DMR Color LaserJet M577 MFP Hardware Support HP 1-year Post Warranty 4h 9x5 + DMR Color LaserJet M577 MFP Hardware Support HP 1-year Post Warranty 4h 13x5 + DMR Color LaserJet M577 MFP Hardware Support

Protect your investment with HP Care Pack. Let HP certified engineers resolve your technical issues. For more details on HP Care Pack, go to hp.com/go/cpc

Contact HP via phone: Asia: 65 6253 8500

#### Solutions

HP Web Jetadmin: hp.com/go/wja HP Universal Print Driver: hp.com/go/upd

HP Imaging and Printing Security Center: hp.com/go/ipsc

¹ More pages versus predecessor cartridges claim based on page-yield comparison of HP 507A High Yield Original LaserJet Toner Cartridges with HP 508X High Yield Original LaserJet Toner Cartridges. For more information, see <a href="https://documento.org/be/learnaboutsupplies">https://documento.org/be/learnaboutsupplies</a> ² Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in <a href="https://documento.org/be/learnaboutsupplies">https://documento.org/be/learnaboutsupplies</a> ² Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in <a href="https://documento.org/be/learnaboutsupplies">https://documento.org/be/learnaboutsupplies</a> ² Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in <a href="https://documento.org/be/learnaboutsupplies">https://documento.org/be/learnaboutsupplies</a> ² Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in <a href="https://documento.org/be/learnaboutsupplies">https://documento.org/be/learnaboutsupplies</a> ² Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in <a href="https://documento.org/be/learnaboutsupplies">https://documento.org/be/learnaboutsupplies</a> ² Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in <a href="https://documento.org/be/learnaboutsupplies">https://documento.org/be/learnaboutsupplies</a> ² Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in <a href="https://documento.org/be/learnaboutsupplies">https://documento.org/be/learnaboutsupplies</a> ² Based on HP testing using the ENERGY STAR® program's Typical Electricity Consumption (TEC) method or as reported in <a href="https://documento.org/be/learnaboutsupplies">https://d performance is dependent on physical environment and distance from the access point in the MFP or printer. For details, see hp.com/go/businessmobileprinting <sup>5</sup> Touch-to-print capability is standard on the HP Color Laser Jet Enterprise MFP M577z only. Requires purchase of optional HP Jetdirect 3000w NFC/Wireless Direct Accessory for the HP Color Laser Jet Enterprise MFP M577dn/f/c. Mobile device must support Near Field Communication (NFC)-enabled printing. For more information, see hp.com/go/businessmobileprinting <sup>6</sup> Average color composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see hp.com/go/learnaboutSupportlies <sup>7</sup> Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at hp.com/go/printsecurity

# **HP Color LaserJet Enterprise MFP M577 Series**

unctions Print	Print, copy, scan	Print, cop	HP Color LaserJet Enterprise Flow MFP M577z (B5L48A) y, scan, fax		
Duplex print options	Black fragman Adhilla to 20 cm Black fragman Later A	Automatic (standard)	h () and associate of the following falls of the desired and the following falls of the following falls of the following falls of the fall of the following falls of the fall of the following falls of the fall o		
Print speed <sup>1</sup>		; Colour (normal, A4): Up to 38 ppm; Colour (normal, letter): Up to 40 ppm; Blaci pm; Black Duplex (Letter): Up to 40 ipm; Colour Duplex (A4): Up to 38 ipm; Colour			
First page out <sup>2</sup>	Black (A4, ready): As fast as 5.6 sec; Colour (A4, ready): As fast as 6.9 sec; Black (A4, sleep): As fast as 8.6 sec; Colour (A4, sleep): As fast as 8.8 sec  Black (A4, ready): As fast as 5.9 sec; Colour (A4, sleep): As fast as 5.9 sec; Colour (A				
Print technology Print resolution	<b>Black (normal):</b> Up to 600 × 600 dpi; <b>Colour (normal):</b> Up to 600 × 600 dpi;	Laser Black (best): HP ImageREt 3600; Colour (best): HP ImageREt 3600 ; Black (Fir	<b>te Lines):</b> Up to 1200 × 1200 dpi; <b>Colour (Fine Lines):</b> Up to 1200 × 1200		
Print resolution technologies		HP ImageREt 3600, Pantone Calibrated			
Print cartridges number Standard print languages		4 (1 each black, cyan, magenta, yellow)  HP PCL 6; HP PCL 5c; HP postscript level 3 emulation, native PDF printing (v 1.7)			
Printer management	Printer Administrator Resource Kit (Driver Configuration Utility, Driver	er Deployment Utility, Managed Printing Administrator); HP Web JetAdmin Software			
ın			,		
Scan type/technology		Type: Flatbed, ADF; Technology: Contact Image Sensor (CIS)			
Scan speed <sup>3</sup>	Normal, A4: Up to 43 ppm/43 ipm (		Normal, A4: Up to 45 ppm/64 ipm (b&w), up to 45 ppm/58 ipm (colo		
Scan resolution Scan size		Enhanced: Up to 600 dpi; Hardware: Up to 600 x 600 dpi; Optical: Up to 600 dp Flatbed/ADF: 216 x 356 mm (8.5 x 14 in)	II .		
Scan input modes	Front panel applications: Copy, E-mail, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (OXP) applications	Front panel applications: Copy, E-mail, Fax, Save to Network Folder, Save to USB, Save to Device Memory, Open Extensibility Platform (OXP) applications	Front panel applications: Copy, E-mail, Fax, Save to Network Folder, Sa USB, Save to Device Memory, Save to SharePoint, Open Extensibility Pla		
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A		(OXP) applications  Digital Send: PDF, IPEC, ITER MTFE, XPS, PDFA, TEXT (OCR), Unicode 1 (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDFA (OCR), HTML (SV) (OCR), Scan to easy access USB: PDF, IPEC, TIFF, MTIFF, XPS, PDFA, (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR		
<b>py</b> Copy speed⁴	Black (normal, A4): Up to 38 cpm; Black (normal, letter): Up to 40 cp	m; Colour (normal, A4): Up to 38 cpm; Colour (normal, letter): Up to 40 cpm; I	Black Duplex (A4): Up to 38 cpm; Black Duplex (Letter): Up to 40 cpm;		
First copy out	Black (A4): As fast as 5.6 sec; Colour (A4): As fast as 9.1 sec; Black (	Colour Duplex (A4): Up to 38 cpm; Colour Duplex (letter): Up to 40 cpm	Black (A4): As fast as 5.7 sec; Colour (A4): As fast as 9.2 sec; Black		
			sleep): As fast as 10.3 sec; Colour (A4, sleep): As fast as 12.6 sec		
Copy resolution  Max no of copies	Black (text & graphics): Up to 600	$\times$ 600 dpi (flatbed), 600 $\times$ 450 dpi (ADF); <b>Colour (text &amp; graphics):</b> Up to 600 $\times$ 6 Up to 9,999 copies	uu dpi (tlatbed), 300 x 600 dpi (ADF)		
Lopier resize		25 to 400%			
opier resize	Two-sided copying; Scalability; Image adjustments (darkness, contrast,	background cleanup, sharpness); N-up; N or Z-ordering; Content orientation; Coll	ation; Booklet; Job build; Edge-to-edge; Job storage; ID Copy; Book Copy;		
		A-to-B Copy (different media sizes)			
av enoud <sup>5</sup>	Optional	33 C library 3 nov	nor page (letter)		
ax speed <sup>5</sup> ax resolution	Optional Optional		: per page (letter) y); Black (standard): 204 x 98 dpi; Black & White (fine): 204 x 196 dpi;		
Fax features	Optional	Black & White (superfine): 300 x 300 dpi; Black Photo Gra Auto fax reduction supported: Yes; Auto-Redialing: Yes; Fax delayed	yscale: 300 x 300 dpi (400 x 400 dpi for received faxes only) sending: No; Distinctive ring detection supported: No; Fax forwardin		
		supported: Yes; Junk barrier supported: Yes; Maximum speed dialing supported: Yes; Fax polling suj	ported: Yes (poll to receive only)		
ax smart software features	Optional		ook; LAN/Internet fax; Fax number confirmation; Holiday fax schedule		
nectivity	215 6 - 416 2 2 11 - 4 - 416 2 2 1 - 416 2 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	215 Co. 115 C. 2011 - 1215 Co. 115 C. 215 C.	2150		
tandard connectivity	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit/Fast Ethernet 10/100/1000Base-TX network; Hardware Integration Pocket	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit/Fast Ethernet 10/100/1000Base-TX network; Hardware Integration Pocket; Fax	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit/Fast Ett 10/100/1000Base-TX network; Hardware Integration Pocket; Fax		
Nobile print capability <sup>6</sup>	HP ePrint; Apple AirPrint™; Mopri		HP ePrint; Apple AirPrint™; Mopria-certified; Google Cloud Print 2.0; W Direct Printing; NFC touch-to-print		
Network ready	Standard (built-in	Gigabit Ethernet)	Standard built-in Ethernet 802.11 b/g/n. WiFi operates as both an AP Wi-Fi Direct) and STA		
Network capabilities		andard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on			
	Optional, enabled with purc	hase of hardware accessory <b>dard:</b> 1.25 GB (printer), 500 MB (scanner); <b>Maximum:</b> 2 GB (printer), 500 MB (sca	Yes, embedded NFC/HP Wireless Direct		
mory					
mory ty cycle <sup>7</sup>		p to 80,000 pages; <b>Recommended monthly page volume:*</b> 2,000 to 7,500 pag 1.2 GHz	es		
mory ty cycle <sup>7</sup> ocessor speed per handling	U	1.2 GHz			
mory ty cycle' ccessor speed per handling nput	U	1.2 GHz neet input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media inpu			
emory  tty cycle <sup>2</sup> ocessor speed per handling Input Output	U 100-sheet multipurpose tray, 550-sh	1.2 GHz	t tray 4, 550-sheet media input tray 5		
mory ty cycle' cessor speed per handling nput Uutput Media type  Media weight	U  100-sheet multipurpose tray, 550-sh  Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, hee  Tray 1:60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)	1.2 GHz  seet input tray 2, <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input tray 2, <b>Optional:</b> 250-sheet output bin vy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), colour transp opaque film, user-defined  Tray 2: 60 to 220 g/m² (gloins peper), 105 to 220 g/m² (glossy paper); <b>Optional Ti</b>	t tray 4, 550-sheet media input tray 5 arency, labels, letterhead, envelope, preprinted, prepunched, coloured, rc rays 3*: 60 to 220 g/m² (plain papen), 105 to 220 g/m² (glossy paper)		
mory ty cycle' xcessor speed per handling nput Dutput Media type Media wight Media sizes custom	U  100-sheet multipurpose tray, 550-sh  Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, hee  Tray 1:60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)	1.2 GHz  seet input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input tray 2; <b>Optional:</b> 550-sheet output bin 250-sheet output bin any glossy, extra heavy, extra heavy glossy, castoxok, card glossy), colour transpoaque film, user-defined <b>1.7ray 2:</b> 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy) paper); <b>Optional Tr</b> 216 x 356 mm; <b>Tray 2:</b> 102 x 148 to 216 x 297 mm; <b>Optional Tray 3*:</b> 102 x 1	t tray 4, 550-sheet media input tray 5 arency, labels, letterhead, envelope, preprinted, prepunched, coloured, rc rays 3*: 60 to 220 g/m² (plain papen), 105 to 220 g/m² (glossy paper)		
mory y cycle' vessor speed per handling nput butput dedia type dedia weight dedia sizes custom mensions (W N D x H)*	U  100-sheet multipurpose tray, 550-sh  Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, hea  Tray 1:60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  Tray 1:76 x 127 to	1.2 GHz  seet input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input tray 3, 550-sheet media input 250-sheet output bin 100 pigossy, extra heavy, extra heavy glossy, cardstock, card glossy), colour transpopague film, user-defined  Tray 2: 60 to 220 g/m² (glossy paper); <b>Optional T</b> 1216 x 356 mm; Tray 2: 102 x 148 to 216 x 297 mm; <b>Optional Trays 3+:</b> 102 x 148 to 216 x 297 mm; <b>Optional Trays 3+:</b> 102 x 148 to 216 x 297 mm; <b>Optional Trays 3+:</b> 102 x 148 to 216 x 297 mm; <b>Optional Trays 3+:</b> 102 x 148 to 218 x 194 x 22.95 in)	t tray 4, 550-sheet media input tray 5 arency, labels, letterhead, envelope, preprinted, prepunched, coloured, ro rays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper) 48 to 216 x 356 mm		
umory ty cycle' ccessor speed per handling input Output Media type Media weight Media sizes custom mensions (W x D x H) <sup>3</sup> sight	U  100-sheet multipurpose tray, 550-sh  Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, hee  Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  Tray 1: 76 x 127 to 38.1 kg (84 lb)  Printer; Four preinstalled HP Laser let toner cartridges (yield ~6,000 pages black, ~5,000 pages colour); Toner collection unit; In-box documentation;	1.2 GHz  seet input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input tray 2; <b>Optional:</b> 550-sheet output bin voy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), colour transpo gaque film, user-defined  (Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); <b>Optional T</b> 216 x 356 mm; <b>Tray 2:</b> 102 x 148 to 216 x 297 mm; <b>Optional Tray 3+:</b> 102 x 1  482 x 504 x 583 mm (18.96 x 19.84 x 22.95 in)  38.3 kg (84.5 lb)  Printer; Four preinstalled HP Laser Jet toner cartridges (Black: ~6,000 pages, Colour-5,000 pages); Toner collection until; h-box documentation;	t tray 4, 550-sheet media input tray 5  arency, labels, letterhead, envelope, preprinted, prepunched, coloured, rc  rays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  48 to 216 x 356 mm  38.6 kg (85 lb)  Printer; Four preinstalled HP Laser let toner cartridges (Black: ~6,6,6) pages, Colour: ~5,000 pages; Toner collection unit; In-box documen		
mory ty cycle' ccessor speed per handling nput Dutput Media type Media weight Media sess custom nensions (W x D x H) <sup>3</sup> light at's in the box	U  100-sheet multipurpose tray, 550-sh Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, hee Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper) Tray 1: 76 x 127 to;  38.1 kg (84 lb) Printer; Four preinstalled HP Laser Jet toner cartridges (yield ~6,000 pages black, ~5,000 pages colour); Toner collection unit; In-box documentation; Software (D; Power Cord	1.2 GHz  seet input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input tray 3, 550-sheet media input 250-sheet output bin 250-sheet out	t tray 4, 550-sheet media input tray 5  arency, labels, letterhead, envelope, preprinted, prepunched, coloured, rc  rays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  48 to 216 x 356 mm  38.6 kg (85 lb)  Printer; Four preinstalled HP Laser Jet toner cartridges (Black: ~6,6 pages, Colour: ~5,000 pages). Toner collection unit; In-box documen  Software CD; Power Cord; fax cable		
Wireless capability emory sty cycle* ocessor speed peer handling input Output Media type Media weight Media sizes custom mensions (W x D x H)* eight hat's in the box arranty features sstems	U  100-sheet multipurpose tray, 550-sh Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, hee Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper) Tray 1: 76 x 127 to;  38.1 kg (84 lb) Printer; Four preinstalled HP Laser Jet toner cartridges (yield ~6,000 pages black, ~5,000 pages colour); Toner collection unit; In-box documentation; Software (D; Power Cord	1.2 GHz  seet input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input tray 2; <b>Optional:</b> 550-sheet output bin voy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), colour transpo gaque film, user-defined  (Tray 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper); <b>Optional T</b> 216 x 356 mm; <b>Tray 2:</b> 102 x 148 to 216 x 297 mm; <b>Optional Tray 3+:</b> 102 x 1  482 x 504 x 583 mm (18.96 x 19.84 x 22.95 in)  38.3 kg (84.5 lb)  Printer; Four preinstalled HP Laser Jet toner cartridges (Black: ~6,000 pages, Colour-5,000 pages); Toner collection until; h-box documentation;	t tray 4, 550-sheet media input tray 5  arency, labels, letterhead, envelope, preprinted, prepunched, coloured, ro  rays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  48 to 216 x 356 mm  38.6 kg (85 lb)  Printer; Four preinstalled HP Laser Jet toner cartridges (Black: ~6,0 pages, Colour: ~5,000 pages); Toner collection unit; In-box document Software CD; Power Corf, Yak coble		
umory ty cycle? ty cycle? ty cycle? ty cycle? ty cycle in the type in the type Media type Media sizes custom mensions (W x D x H)? tight the type t	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heaving 1:60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  Tray 1:60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  Tray 1:76 x 127 to;  38.1 kg (84 lb)  Printer; Four preinstalled HP Laser Jet toner cartridges (yield ~6,000 pages black, ~5,000 pages colour); Toner collection unit; In-box documentation; Software CD; Power Cord  One-year, next-business day, onsite warranty. Warranty and support optical disconsistent of the colour print of the cellions (excluding RT OS for Tablets), Windows 10 all 32.—86 d-bit editions (excluding RT OS for Tablets), Windows 10 all 32.—86 d-bit editions (excluding RT OS for Tablets), Windows 10 all 32.—86 d-bit editions (excluding RT OS for Tablets), Windows 10 all 32.—86 to tellions (excluding RT OS for Tablets), Windows 10 all 32.—86 to tellions (excluding RT OS for Tablets), Windows 10 all 32.—86 to tellions (excluding RT OS for Tablets), Windows 10 all 32.—86 to tellions (excluding RT OS for Tablets), Windows 10 all 32.—86 to the tellions (excluding RT OS for Tablets), Windows 10 all 32.—86 to the tellions (excluding RT OS for Tablets), Windows 10 all 32.—86 to the tellions (excluding RT OS for Tablets), Windows 10 all 32.—86 to the tellions (excluding RT OS for Tablets), Windows 10 all 32.—86 to the tellions (excluding RT OS for Tablets), Windows 10 all 32.—86 to the tellions (excluding RT OS for Tablets), Windows 10 all 32.—86 to the tellions (excluding RT OS for Tablets), Windows 10 all 32.—86 to the tellions (excluding RT OS for Tablets), Windows 10 all 32.—86 to the tellions (excluding RT OS for Tablets), Windows 10 all 32.—86 to the tellions (excluding RT OS for Tablets), Windows 10 all 32.—86 to the tellions (excluding RT OS for Tablets), Windows 10 all 32.—86 to the tellions (excluding RT OS for Tablets), Windows 10 all 32.—86 to the tellions (excluding RT OS for Tablets), Windows 10 all 32.—86 to the tellions (excluding RT OS for Tablets), Windows 10 all 32.—86 to the t	1.2 GHz  seet input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input tray 3, 550-sheet media input tray 3, 550-sheet media input 250-sheet output bin 250-sheet output 250-s	t tray 4, 550-sheet media input tray 5  arency, labels, letterhead, envelope, preprinted, prepunched, coloured, ro  rays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  48 to 216 x 356 mm  38.6 kg (85 lb)  Printer: Four preinstalled HP Laser let toner cartridges (Black: ~6,0 pages, Colour: ~5,000 pages); Toner collection unit; in-box document Software CD; Power Cord; fax cable learn about HP award winning service and support options in your region  sessional, etc.), Windows 7 all 32-8. 64-bit editions (WP Home, XP Pro, etc.), Window  abilets), Windows 10 all 32-8. 64-bit editions (VP Home, XP Pro, etc.), Window  abilets), Windows 10 all 32-8. 64-bit editions (excluding RT 05 for Tablets), Windows 8/8.1/10 RT; Linux (5) (in-05 HPLIP; SUSE Linux (12.2, 12.3, 13.1), 1.  10), Debian (6.0, 7.2x). Other OS; UNINX		
mory ty cycle?  xessor speed per handling input  Dutput  Media weight  Media sizes custom mensions (W x D x H)?  Jujoh  Just in the box  arranty features  stems  Compatible operating systems	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heaving 1:60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  Tray 1:60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  Tray 1:76 x 127 to intray 1:76 x 127 to intra	1.2 GHz  seet input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input tray 2; <b>Optional:</b> 550-sheet output bin 250-sheet output bin yoy glossy, extra heavy, extra heavy glossy, cardstock, card glossy), colour transp opaque film, user-defined (17ay 2: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy) paper); <b>Optional Tray</b> 216 x 356 mm; <b>Tray</b> 2: 102 x 148 to 2 16 x 297 mm; <b>Optional Trays</b> 3*: 102 x 1 482 x 504 x 583 mm; <b>11</b> 8.98 x 19.94 x 22.95 in) 38.3 kg (84.5 lib) Printer; Four preinstalled HP Laserlet toner cartridges (Black: ~6,000 pages, Colour: ~5,000 pages); Toner collection until; In-box documentation; Software CD; Power Cord; fax cable ons vary by product, Country and local legal requirements. Go to hp.com/support to 27 Home, XP Pro, etc.), Windows Vista all 32-bit editions (Home Basic, Premium, Port gar CD Sfor Tablest); Windows Of Compabile with Universal Print Driver (From HP.C, 0,5 X 10.9 Naventscs, CS X 10.1 O Yosemite, Mobile OS (In-OS diversi); OS, Android, In (1), 10, 105 ed. (1), 10, 105 ed. (1), 10, 105 ed. (1), 10, 103 ed. (1), 10, 140, 14 132-bit editions (Home Basic, Premium, Professional, etc.), Windows X PS 33 2: 8 64-bit editions (excluding RT OS for Tablets), Windows X PS 33 2: 8 64-bit editions (excluding RT OS for Tablets), Windows X PS 33 2: 8 64-bit editions (excluding RT OS for Tablets), Windows X PS 33 2: 8 64-bit editions (excluding RT OS for Tablets), Windows X PS 33 2: 8 64-bit editions (excluding RT OS for Tablets), Windows X PS 33 2: 8 64-bit editions (excluding RT OS for Tablets), Windows X PS 33 2: 8 64-bit editions (excluding RT OS for Tablets), Windows X PS 33 2: 8 64-bit editions (excluding RT OS for Tablets), Windows X PS 33 2: 8 64-bit editions (excluding RT OS for Tablets), Windows X PS 33 2: 8 64-bit editions (excluding RT OS for Tablets), Windows X PS 33 2: 8 64-bit editions (excluding RT OS for Tablets), Windows X PS 33 2: 8 64-bit editions (excluding RT OS for Tablets), Windows X PS 33 2: 8 64-bit editions (excluding RT OS for Tablet	t tray 4, 550-sheet media input tray 5  arency, labels, letterhead, envelope, preprinted, prepunched, coloured, roi  rays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  48 to 216 x 356 mm  38.6 kg (85 lb)  Printer; Four preinstalled HP Laser let toner cartridges (Black: ~6,0 pages, Colour: ~5,000 pages); Toner collection unit; In-box document Software CD; Power Cord; fax cable  learn about HP award wirning service and support options in your region  sessional, etc.), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32-8 (soft) Windows 8/8.1 no RT; Linux 05 (in-DS HPLIP; SUSE Linux (12.2, 12.3, 13.1), F. 10), Deblan (6.0, 7.3); Other OS; UNINX  bit editions, Windows 8/8.1 all 32- & 64-bit editions (We house, We have the consense of		
mory ty cycle' ccessor speed per handling nput  Dutput  Media type  Media weight  Media sizes custom mensions (W x D x H)* ight mat's in the box  arranty features  stems  Compatible operating systems  Minimum system requirements	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, hea  Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  Tray 1: 76 x 127 to.  38.1 kg (84 lb)  Printer; Four preinstalled HP LaserJet toner cartridges (yield ~6,000 pages black, ~5,000 pages coloun); Toner collection unit; In-box documentation; Software (D; Power Cord One-year, next-business day, onsite warranty, Warranty and support opti  Windows OS compatible with In-Box Driver, Windows XP SP3 all 32-bit editions (excluding RT OS for Tablets), Windows 10 all 32-& 64-bit editions (sextuding RT OS for Tablets), Windows XP SP3 all 32-bit editions (Permium, Professional, etc.), Windows 7 all (HP Print Drivers available from HP.com and Apple Store); OS XI, Mindows Vista SW Windows XP SP3 all 32-bit editions (Sextuding RT OS for Tablets), Windows OS con Premium, Professional, etc.), Windows OS con Premium, Professional, etc.), Windows OS con Premium, Professional, etc.), Windows VS Laser SW Windows XP SP3 all 32-bit editions (Sextuding RT OS for Tablets), Windows OS con Premium, Professional, etc.), Windows XP SP3 all 32-bit editions (Sextuding RT OS for Tablets), Windows OS con Premium, Professional, etc.), Windows XP SP3 all 32-bit editions (Sextuding RT OS for Tablets), Windows OS con Premium, Professional, etc.), Windows XP SP3 all 32-bit editions (Sextuding RT OS for Tablets), Windows OS con Premium, Professional, etc.), Windows XP SP3 all 32-bit editions (Sextuding RT OS for Tablets), Windows OS con Premium, Professional, etc.), Windows XP SP3 all 32-bit editions (Sextuding RT OS for Tablets), Windows XP SP3 all 32-bit editions (Sextuding RT OS for Tablets), Windows XP SP3 all 32-bit editions (Sextuding RT OS for Tablets), Windows XP SP3 all 32-bit editions (Sextuding RT OS for Tablets), Windows XP SP3 all 32-bit editions (Sextuding RT OS for Tablets), Windows XP SP3 all 32-bit editions (Sextuding RT OS for Tablets), Windows XP SP3 all 32-bit editions (Sextuding RT OS for Tablets), Windows XP SP3 all 32-bit editions	1.2 GHz  teet input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input 250-sheet output bin 250-sheet output 250-sheet outpu	t tray 4, 550-sheet media input tray 5  arency, labels, letterhead, envelope, preprinted, prepunched, coloured, ro  rays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  48 to 216 x 356 mm  38.6 kg (85 lb)  Printer; Four preinstalled HP Laser let toner cartridges (Black: ~6,0 pages, Colour: ~5,000 pages); Toner collection unit; In-box document Software CD; Power Cord; fax cable Learn about HP award winning service and support options in your region  sessional, etc.), Windows 7 all 32- & 64-bit editions (Windows 8/8.1 all 32- & 6 cm); Windows MS PSP 32- & 64-bit editions (Rome, Windows 8/8.1 all 32-& 6 cm); Windows SP SP 32- & 64-bit editions (Rome, Vindows SP, Vind		
mory ty cycle? cessor speed ere handling put butput dedia type dedia sizes custom tensions (W x D x H)? gight at's in the box  rranty features teems compatible operating systems dinimum system requirements tts and typefaces ttrol panel	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, hee  Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  Tray 1: 76 x 127 to italy 1: 76 x 127 to	1.2 GHz  seet input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input y glossy, extra heavy, extra heavy glossy, cardstock, card glossy), colour transp opaque film, user-defined  1.	t tray 4, 550-sheet media input tray 5  arency, labels, letterhead, envelope, preprinted, prepunched, coloured, ro  rays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  48 to 216 x 356 mm  38.6 kg (85 lb)  Printer; Four preinstalled HP Laser let toner cartridges (Black: ~6,0 pages, Colour: ~5,000 pages); Toner collection unit; In-box document Software CD; Power Cord; fax cable  learn about HP award wirning service and support options in your region  assional, etc.), Windows 7 all 32- & 64-bit editions; Windows 8/8.1 all 32- & 64-bit editions; Windows 8/8.1 all 32-& 8.4 with a special service and support options in your region  ablets), Windows 10 all 32- & 64-bit editions; We Home, XP Pro, etc.), Window  ablets), Windows 8/8.1 all 32-& 64-bit editions (Per Limux (122, 12.3, 13.1), F.  10), Deblan (6.0, 7-X) Other OS; UNINX  ait editions, Windows 8/8.1 all 32-& 64-bit editions (Per Company of the Company o		
mory ty cycle' xcessor speed per handling nput Dutput Media wight Media sizes custom mensions (W x D x H)* ight uat's in the box  rranty features stems Compatible operating systems Minimum system requirements ints and typefaces introl panel wer	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heaving 1:60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  Tray 1:60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  Tray 1:76 x 127 to;  38.1 kg (84 lb)  Printer; Four preinstalled HP Laser Jet toner cartridges (yield ~6,000 pages black, ~5,000 pages colour); Toner collection unit; in-box documentation; Software (D; Power Cord  One-year, next-business day, onsite warranty. Warranty and support optically considered to the support of the suppor	1.2 GHz  seet input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input 250-sheet output bin 250-sheet output 250-sheet 250-s	t tray 4, 550-sheet media input tray 5  arency, labels, letterhead, envelope, preprinted, prepunched, coloured, ro  rays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  48 to 216 x 356 mm  38.6 kg (85 lb)  Printer; Four preinstalled HP Laser let toner cartridges (Black: ~6,0 pages, Colour: ~5,000 pages; Toner collection unit; In-box document  Software CD; Power Cord; fax cable learn about HP award winning service and support options in your region  sessional, etc.), Windows 7 all 32-& 64-bit editions, Windows 8/8.1 all 32-&  sessional, etc.), Windows 7 all 32-& 64-bit editions (sextuding RT O5 for Tablets); Mindows 8/8.1 all 32-&  sessional, etc.), Windows 7 all 32-& 64-bit editions (sextuding RT O5 for Tablets); Mindows 8/8.1 all 32-&  set editions, Windows 8/8.1 all 32-&  set editions (sextuding RT O5 for Tablets); CD-ROM or DVD drive, or internet corner  set editions (sextuding RT O5 for Tablets); CD-ROM or DVD drive, or internet corner  ditions (sextuding RT O5 for Tablets); CD-ROM or DVD drive, or internet corner  ardware requirements see apple.com)  Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Camt  allable at https://documple.seepietionts  ick return to the Home menu)  or dual voltage, product varies by part number with # Option code identifi		
mory ty cycle' yccsesor speed per handling nput Dutput Media type Media weight Vedia sizes custom nensions (W x D x H)* ight nat's in the box surranty features Steems Compatible operating systems Winimum system requirements Ints and typefaces Introl panel wer	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, hea  Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  Tray 1: 76 x 127 to.  38.1 kg (84 lb)  Printer: Four preinstalled HP Laser let toner cartridges (yield -6,000 pages black, -5,000 pages colour); Toner collection unit; In-box documentation; Software CD; Power Cord  One-year, next-business day, onsite warranty. Warranty and support opti  Windows OS compatible with In-Box Driver; Windows XP SP3 all 32-bit editions (excluding RT OS for Tablets), Windows 10 all 32-8 64-bit editions (shome Basic, Premium, Photiessional, etc.), Windows 7 all (HP Pint) Drivers available from HP.com and Apple Store); GS XI MB Mourtain LIA (18 plain)  PC: Windows XP SP3 all 32-bit editions (Ro Pinem; XP Pro, etc.), Windows OS con Premium, Professional, etc.), Windows OS con Premium, Professional, etc.), Windows NS Con Premium, Professional, etc.), Windows XP SP3 all 32-bit editions (Ro Pinem; XP Pro, etc.), Windows OS con Premium, Professional, etc.), Windows XP SP3 all 32-bit editions (Ro Pinemium, Professional, etc.), Windows XP SP3 all 32-bit editions (Ro Pinemium, Professional, etc.), Windows XP SP3 all 32-bit editions (Ro Pinemium, Professional, etc.), Windows XP SP3 all 32-bit editions (Ro Pinemium, Professional, etc.), Windows XP SP3 all 32-bit editions (Ro Pinemium, Professional, etc.), Windows XP SP3 all 32-bit editions (Ro Pinemium, Professional, etc.), Windows XP SP3 all 32-bit editions (Ro Pinemium, Professional, etc.), Windows XP SP3 all 32-bit editions (Ro Pinemium, Professional, etc.), Windows XP SP3 all 32-bit editions (Ro Pinemium, Professional, etc.), Windows XP SP3 all 32-bit editions (Ro Pinemium, Professional, etc.), Windows XP SP3 all 32-bit editions (Ro Pinemium, Professional, etc.), Windows XP SP3 all 32-bit editions (Ro Pinemium, Professional, etc.), Windows XP SP3 all 32-bit editions (Ro Pinemium, Professional, etc.), Windows XP SP3 all 32-bit editions (Ro Pinemium, Professional, etc.), Windows XP3 all 32-bit edit	teet input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input 250-sheet output bin and seed to see the seed of the se	t tray 4, 550-sheet media input tray 5  arency, labels, letterhead, envelope, preprinted, prepunched, coloured, ro  rays 3*: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  48 to 216 x 356 mm  38.6 kg (85 lb)  Printer; Four preinstalled HP Laser let toner cartridges (Black: ~6,0 pages, Colour: ~5,000 pages); Toner collection unit; in-box document Software CD; Power Cord; fax cable learn about HP award winning service and support options in your region  sessional, etc.), Windows 7 all 32- & 64-bit editions (Windows 8/8.1 all 32- & com); Windows XP 5P3 32- & 64-bit editions (Windows 8/8.1 all 32- & com); Windows NP 5P3 32- & 64-bit editions (Soft blome, XP Pro, etc.), Window  sibetis, Windows 10 all 32- & 64-bit editions (sextuding RT O5 for Tablets); M  windows 8/8.1 all 32- & 64-bit editions (sextuding RT O5 for Tablets); M  sitteditions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT O5 for Tablets); M  sitteditions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT O5 for Tablets); M  sitteditions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT O5 for Tablets); M  sitteditions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT O5 for Tablets); M  sitteditions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT O5 for Tablets); M  sitteditions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT O5 for Tablets); M  sitteditions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT O5 for Tablets); M  sitteditions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT O5 for Tablets); M  sitteditions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT O5 for Tablets); M  sitteditions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT O5 for Tablets); M  sitteditions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT O5 for Tablets); M  sitteditions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT O5 for Tablets); M  sitteditions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT O5 for Tablets); M  sitteditions, Windows 8/8.1 all 32- & 64-bit editio		
mory ty cycle? t	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heaville (plain), light, bond, recycled, mid-weight, heavy, mid-weight glossy, heaville (plain), he	teet input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input 250-sheet output bin and supplies that the state of the st	t tray 4, 550-sheet media input tray 5  arency, labels, letterhead, envelope, preprinted, prepunched, coloured, ro  rays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  48 to 216 x 356 mm  38.6 kg (85 lb)  Printer; Four preinstalled HP Laser let toner cartridges (Black: ~6, K) pages, Colour: ~5,000 pages). Toner collection unit; In-box documen  Software CD; Power Cord; fax cable learn about HP award winning service and support options in your region  ressional, etc.), Windows 7 all 32- & 64-bit editions, Windows 8/8.1 all 32- &  com); Windows NF SP3 32- & 64-bit editions (kP Horne, kP Pro, etc.), Window  sibilition (SP Horne, KP Pro, etc.), Windows 8/8.1 all 32- &  som); Windows 10 all 32- & 64-bit editions (sextuding RT OS for Tablets), M  windows 8/8.1 all 32- & 64-bit editions (sextuding RT OS for Tablets), M  site editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), M  site editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), M  site editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), M  site editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), M  site editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), M  site editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), M  site editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), M  site editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), M  site editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), M  site editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), M  site editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), M  site editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), M  site editions, Windows 8/8.1 all 32- & 64-bit editions (excluding RT OS for Tablets), M  site editions, Windows 8/8.1 all 32- & 64-bit		
emory tyt cycle' occssor speed per handling input Output Media type Media weight Media sizes custom mensions (W x D x H)* eight hat's in the box arranty features stems Compatible operating systems Minimum system requirements mits and typefaces mitrol panel wer iftware included oustic	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heaving the plain of the plain of the plain of the plain of the plain paper), 105 to 220 g/m² (glossy paper).  Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper).  Tray 1: 76 x 127 to:  38.1 kg (84 lb)  Printer; Four preinstalled HP Laser Jet toner cartridges (yield ~6,000 pages black, ~5,000 pages coloun); Toner collection unit; in-box documentation; Software CD; Power Cord  One-year, next-business day, onsite warranty. Warranty and support option of the plain of th	1.2 GHz  seet input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input 250-sheet output bin 250-sheet output 250-sheet ou	t tray 4, 550-sheet media input tray 5  arency, labels, letterhead, envelope, preprinted, prepunched, coloured, ro  rays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  48 to 216 x 356 mm  38.6 kg (85 lb)  Printer; Four preinstalled HP Laser let toner cartridges (Black: ~6,0 pages, Colour: ~5,000 pages); Toner collection unit; In-box document Software CD; Power Cord; fax cable learn about HP award winning service and support options in your region  sessional, etc.), Windows 7 all 32-8.64-bit editions (WHome, XP Pro, etc.), Window  spin Windows XP SP3 32-8.64-bit editions (WHome, XP Pro, etc.), Window  spin Windows XP SP3 32-8.64-bit editions (Rectuding RT OS for Tablet), Mindows 8/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all 32-8.64-bit editions (sexcluding RT OS for Tablet), Mindows 6/8.1 all		
mory ty cycle?  Accessor speed per handling input Dutput Media weight Media sizes custom mensions (W x D x H)?  Igight Lat's in the box  Arranty features  Stems Compatible operating systems  Minimum system requirements  Into Janel wer  It ware included  Doustic  Vironmental ranges  Curity management	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, hee  Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  Tray 1: 76 x 127 to .  38.1 kg (94 lb)  Printer: Four preinstalled HP Laser Jet toner cartridges (yield ~6,000 pages black, ~5,000 pages colour); Toner collection unit; In-box documentation;  Software CD; Power Cord  One-year, next-business day, onsite warranty. Warranty and support optic of the colour of the col	1.2 GHz  seet input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input 250-sheet output bin 250-sheet output 250-sheet 00-sheet 00-	t tray 4, 550-sheet media input tray 5  arency, labels, letterhead, envelope, preprinted, prepunched, coloured, ro  rays 3*: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  48 to 216 x 356 mm  38.6 kg (85 lb)  Printer; Four preinstalled HP Laser let none cartridges (Black: ~6,0 pages, Colour: ~5,000 pages), Toner collection unit; in-box document spages, Colour: ~5,000 pages), Toner collection unit; in-box document spages, Colour: ~5,000 pages), Toner collection unit; in-box document spages, Colour: ~5,000 pages), Toner collection unit; in-box document spages, Colour: ~5,000 pages), Toner collection unit; in-box document spages, Colour: ~5,000 pages), Toner collection unit; in-box document spages, Colour: ~5,000 pages), Toner collection unit; in-box document spages, Colour: ~5,000 pages, Toner collection unit; in-box document spages, Colour: ~5,000 pages, Toner collection unit; in-box document spages, Colour: ~5,000 pages, Toner collection unit; in-box document spages, Colour: ~5,000 pages, Toner collection unit; in-box document spages, Colour: ~5,000 pages, Toner collection unit; in-box document spages, Colour: ~5,000 pages, Toner collection unit; in-box document spages, Colour: ~5,000 pages, Toner collection unit; in-box document spages, Colour: ~5,000 pages, Toner collection unit; in-box document spages, Colour: ~5,000 pages, Toner collection unit; in-box document spages, Colour: ~5,000 pages, Toner collection unit; in-box document spages, Colour: ~5,000 pages, Toner collection unit; in-box document spages, Colour: ~5,000 pages, Toner, Spages, Toner, Spa		
nory y cycle' y cycle' tessor speed er handling pput tutput ledia type ledia weight ledia sizes custom ensions (W x D x H)* ght at's in the box  rranty features tems ompatible operating systems  tinimum system requirements  ts and typefaces trol panel ter tware included ustic ironmental ranges	Paper (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heaver (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heaver (plain, light, bond, recycled, mid-weight, heavy, mid-weight glossy, heaver (plain).  Tray 1: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  Tray 1: 76 x 127 to intray 1: 76 x 127	1.2 GHz  seet input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input tray 2; <b>Optional:</b> 550-sheet media input tray 3, 550-sheet media input 250-sheet output bin 250-sheet output 250-sheet o	t tray 4, 550-sheet media input tray 5  arency, labels, letterhead, envelope, preprinted, prepunched, coloured, ror  rays 3+: 60 to 220 g/m² (plain paper), 105 to 220 g/m² (glossy paper)  48 to 216 x 356 mm  38.6 kg (85 tb)  Printer; Four preinstalled HP Laser let toner cartridges (Black: ~6,6 pages, Colour: ~5,000 pages; Toner collection unit; In-box documen  Software CD; Power Cord; fax cable  Plearn about HP award winning service and support options in your region  Plearn about HP award winning service and support options in your region  Plearn about HP award winning service and support options in your region  Plearn about HP award winning service and support options in your region  Plearn about HP award winning service and support options in your region  Plearn (Plant) Windows 7 all 32-8 64-bit editions (sextuding RT 05 for Tablets), by  Windows 8/B.1 of 187; Linux CS (In-OS HPUP; VSUSE Linux (12.2, 12.3, 13.1),  1.10), Debian (6.0x, 7.x); Other OS; UNIX  to editions, Windows 8/B.1 all 32-8 64-bit editions few cluding RT 05 for Tablets), by  windows 8/B.1 of 187; Linux CS (In-OS; HPUP)  Total MacKed CS (BH PPINT Divers awalable from HP.com and Apple Store  ardware requirements see apple.com)  Andale Mono World Type); 2 Internal Windows Vista 8 Fonts (Calibri, Cam  allable at hp.com/go/laserjetfonts  ick return to the Home menu)  or dual voltage, product varies by part number with # Option code identif  9 watts (Auto-Offluto-On/Wake on LAN)  Web Services Assist (HP Connected), Online user manuals; For Mac OS; W  re, printing): 51 dB(A) (printing at 38 ppm); Acoustic pressure emission  et 10 to 90% RH; Operating humidity range: 10 to 80% RH; Recomment  ed Key Authentication, and Kerberos Authentication; Support for WJA-10  Ed. 2011-12; Compliance with Laser safety standards 21 (FR 1040.10 e  Ed. 2011-12; Compliance with Laser safety standards 21 (FR 1040.10 e		

<sup>1</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <u>bp. com/go/printer/claims</u>. Exact speed varies depending on the system configuration, offiver, and document complexity. <sup>2</sup> Measured using ISO/IEC 17629. For more information see <u>bp. com/go/printer/claims</u>. Exact speed varies depending on the system configuration, software application, driver, and document complexity. <sup>3</sup> Scan speeds may vary depending on scan resolution, network conditions, computer performance, and application software. <sup>4</sup> First Copy Dut and Copy Speed measured using ISO/IEC 27183. <sup>4</sup> Speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, or diver and document complexity. <sup>3</sup> Scan speeds measured using ISO/IEC 27183. <sup>4</sup> Speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network application, driver, and document complexity. <sup>3</sup> Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.37. <sup>4</sup> Wireless operations are compatible with 2.4 GHz operations only. App or software and HP ePrint account registration may also be required. Some features require purchase of an optional accessory, Learn more at h<sub>2</sub>ncon/glomotileprinting. <sup>3</sup> Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser let or HP Color Laserel devices, and enables appropriate deleptoyment of printers and MPPs to satisfy the demands of or connected individuals or groups. <sup>4</sup> HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period. <sup>3</sup> Based on HP internal testing of top three leading competitors first page out from sleep mode and duplex print and copy speed comple

#### To learn more, visit hp.com

© Copyright 2015 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for terbinical or editorial errors or omissions contained herein.

ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Microsoft and Windows are registered trademarks of Microsoft Corporation. AirPrint and the AirPrint logo are trademarks of Apple Inc., registered in the U.S. and other countries. Linux is a U.S. registered trademark of Linus Torvalds. UNIX is a registered trademark of The Open Group.

