

2-Post Server Rack with Casters - 42U

Product ID: 2POSTRACK42



Store your server, network and telecommunications equipment in this sturdy 42U rack. With a 2-post design, the rack saves floor space and its dual-post, open-depth design makes it broadly compatible with longer equipment.

The 2-post rack features four swiveling casters, so you can easily move it around in your server room, office or studio. It's easy to reposition or relocate the rack in order to connect your rack-mounted equipment to other devices throughout your workspace.

The durable dual-post server rack is made of heavy-gauge steel, instead of aluminum, to ensure a stable installation platform. The rack supports a static loading capacity of up to 600 lb. (272 kg), and it's compliant with several industry rack standards (EIA/ECA-310, IEC 60297, DIN 41494), to provide a stable platform that eliminates the need for concrete mounting kits.

You can easily mount your ANSI/EIA RS-310-D compliant network equipment to the rack without using additional hardware. It features square mounting holes on the frame and a universal design that's compatible with most rack equipment.

The 2POSTRACK42 is backed by a StarTech.com 2-year warranty and free lifetime technical support.

Certifications, Reports and Compatibility



Applications

• Use in your server room or any location where telecommunication and networking equipment needs to be housed



• Create a portable video editing and production rack that you can move around your studio to interface with different equipment

Features

- WIDE COMPATIBILITY: With a 2-post design, the 42U rack saves floor space and its dual-post, open-depth design makes it broadly compatible with various server, network and telecommunications equipment
- 2 42U
- BUILT TO LAST: The mobile open frame rack supports up to 600lb (272kg), has a total product height of 81.9 in / 207.9 cm (with casters) and is EIA/ECA-310, IEC 60297, DIN 41494 compliant
- 272kg207.9cmEIA/ECA-310IEC 60297DIN 41494
- HASSLE-FREE SET UP: You can easily mount your ANSI/EIA RS-310-D compliant network equipment to the rack without any additional hardware; it also features universal, square mounting holes on the frame
- ANSI/EIA RS-310-D
- MAXIMIZE MOBILITY: The 2 post rack features four swiveling casters, so you can easily reposition or relocate the rack in order to connect your rack-mounted equipment to other devices
- 42
- THE IT PRO'S CHOICE: Designed and built for IT Professionals, this 42U rack is backed for life, including free lifetime 24/5 multi-lingual technical assistance
- StarTech.com30IT

Hardware		
	Warranty	2 Years
	Wallmountable	No
	Rack Type	2-Post
	Frame Type	Open Frame
	U Height	42U
	Special Features	Casters (Included)
		Easy Assembly
		U-Markings
	Mounting Rail Profile	C-Shape
	Mounting Hole Types	Square (For Cage Nut)





	Industry Standards	EIA/ECA-310-E
Performance	Weight Capacity (Stationary)	661.5 lb [300 kg]
Physical Characteristics	Color	Diesk
	Color Construction Material	Steel Steel
Product Measurements		
Medodiemento	Product Length	23.6 in [60 cm]
	Product Width	23.5 in [59.7 cm]
	Product Height	79.1 in [200.8 cm]
	Weight of Product	52.0 lb [23.6 kg]
	Product Height with Casters	81.9 in [207.9 cm]
Packaging Information		
	Flat Pack (Assembly Required)	Yes
	Package Length	6.7 ft [2.1 m]
	Package Width	8.5 in [21.7 cm]
	Package Height	6.7 in [17.1 cm]
	Shipping (Package) Weight	66.0 lb [29.9 kg]
What's in the Box		
	Included in Package	2 - Bottom Supporting Beams
		2 - Vertical Rails
		2 - Horizontal Rails
		2 - Angle Support Beams



- 2 2" Heavy-Duty Casters
- 2 2" Heavy-Duty Locking Casters
- 30 M6 Screws
- 20 M6 Nuts
- 16 M6 Caster Screws
- 32 M6 Cage Nuts
- 32 M6 Rack Screws
- 32 Plastic Washers
- 1 Hex Key 4mm
- 1 Quick Install Guide

^{*}Product appearance and specifications are subject to change without notice.