

Tripp Lite
1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234
www.tripplite.com

Right-Angle Cat6 Gigabit Snagless Molded Slim UTP Ethernet Cable (RJ45 M/M), Blue, 2 ft. (0.61 m)

MODEL NUMBER: N201-SR2-BL



Connects network components like printers, computers, copiers, routers, servers, modems and switches. Ideal for high-density data centers. Slim design increases airflow in tight spaces.

Description

The N201-SR2-BL Cat6 Gigabit Molded Slim UTP Patch Cable is perfect for connecting network components like printers, computers, copiers, routers, servers, modems and switches in high-density data centers. Designed for fast transmission and excellent signal quality, this 2-ft. (0.61 m) blue cable ensures peak performance throughout your local area network (LAN).

Manufactured from 28 AWG copper wire, the four-pair stranded UTP N201-SR2-BL delivers speeds up to Cat6 Gigabit/1 Gbps. Protected by a PVC jacket, this cable is more than 35% smaller in diameter than standard Cat6 cable, which increases airflow in tight spaces and makes it easier to install around corners and through cable management panels.

Space-saving right-angle RJ45 male connectors are easy to plug into patch panels and switches located in adjoining spaces inside a rack. Integral strain relief ensures the cable and connectors last a long time.

Features

Perfect Solution for Your Networking NeedsIdeal for connecting components like printers, computers, copiers, routers, servers, modems and switches in high-density data centersDesigned for fast transmission and excellent signal qualityEnsures peak performance throughout your LANDelivers speeds up to Cat6 Gigabit/1 Gbps

No-Snag Right-Angle RJ45 ConnectorsMale connectors plug easily into patch panels and switches in adjoining rack spacesMolded boots protect locking tabs from damage during installation

Special Slim DesignMore than 35% smaller in diameter than standard Cat6 cableIncreases airflow in tight spacesIncreased flexibility for installing around corners and through cable management panels Premium Construction for Superior PerformanceMade from 28 AWG copper wirePVC 4-pair stranded UTPIntegral strain relief for long life

Specifications

OVERVIEW	
UPC Code	037332193674

Highlights

- Over 35% slimmer than standard Cat6 cables
- Rated for Cat6 Gigabit/1 Gbps communications
- Right-angle RJ45 male connectors
- Easy to route through cable management panels
- High-quality 28 AWG stranded copper wire

Package Includes

N201-SR2-BL Cat6 Gigabit
 Molded Slim UTP Patch Cable
 (M/M), 2-ft. (0.61 m)



Technology	Cat6	
PHYSICAL		
Color	Blue	
Cable Shielding	UTP	
Cable Jacket Material	PVC	
Cable Jacket Rating	СМ	
Number of Conductors	4 Pair	
Conductor Material	Stranded Copper	
Conductor Gauge	28 AWG	
Wire Gauge (AWG)	28	
Cable Length (ft.)	2	
Cable Length (m)	0.6	
Cable Length (in.)	24	
Cable Length (cm)	61	
Shipping Dimensions (hwd / cm)	17.78 x 22.86 x 1.27	
Shipping Dimensions (hwd / in.)	7.00 x 9.00 x 0.50	
Shipping Weight (kg)	0.03	
Shipping Weight (lbs.)	0.07	
ENVIRONMENTAL		
Operating Temperature Range	-10 ~ 60C (14 ~ 140F)	
Storage Temperature Range	-20 ~ 70C (-4 ~ 158F)	
Relative Humidity	10% ~ 90%, NON-CONDENSING	
COMMUNICATIONS		
Bandwidth per TIA Standard	250 MHz	
Maximum Bandwidth as Tested	N/A	
Maximum Data Rate	1Gbps	
Network Speed	1Gbps	
CONNECTIONS		
Side A - Connector 1	RJ45 (MALE)	
Side B - Connector 1	RJ45 (MALE)	
Connector Type	Molded; Snagless	
Wiring Configuration	EIA/TIA 568B	



Tripp Lite1111 W. 35th Street
Chicago, IL 60609 USA
Telephone: 773.869.1234

FEATURES & SPECIFICATIONS		
Cable Style	Unshielded; Slim; Molded; Snagless	
SPECIAL FEATURES		
IP68 Rated	No	
Snagless Connector	Yes	
Antibacterial	No	
STANDARDS & COMPLIANCE		
Certifications	RoHS-Compliant	
WARRANTY		
Product Warranty Period (Worldwide)	Lifetime limited warranty	

© 2021 Tripp Lite. All rights reserved. All product and company names are trademarks or registered trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them. Tripp Lite has a policy of continuous improvement. Specifications are subject to change without notice. Tripp Lite uses primary and third-party agencies to test its products for compliance with standards. See a list of Tripp Lite's testing agencies: https://www.tripplite.com/products/product-certification-agencies