# **Product data sheet**

Specifications



RACK PDU, BASIC, VERTICAL, 220-240V, 32A, (20) C13, (6) C19

AP6009A

### Overview

Lead time Usually in Stock

### Main

Product or Component Type	PDU
PDU Type	Basic
Cord length	10 ft (3.05 m)
Number of cables	1
Provided Equipment	Installation guide Safety guide

### Complementary

Input Voltage	230 V
Height	64.02 in (162.6 cm)
Width	2.2 in (5.6 cm)
Output Voltage	230 V
Depth	1.7 in (4.3 cm)
Net Weight	13.62 lb(US) (6.18 kg)
mounting location	Side
Mounting preference	No preference
Input Plug Type	IEC 60309 32 A 2P+E
Mounting Mode	Not rack-mountable
Rack units	0U
Mounting position	Vertical
Acceptable Input Voltage	200240 V
Input current limits	32 A
Load Capacity	7400 VA
Input Frequency	50/60 Hz
Outlet type and quantity	20 IEC 60320 C13 6 IEC 60320 C19

### **Environment**

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.



Product Certifications	CE EAC	
	IRAM	
	VDE	
Ambient Air Temperature for Operation	32.0000000000122.0000000000 °F (050 °C)	
Relative Humidity	595 %	
Operating altitude	010000 ft	
Ambient Air Temperature for Storage	5.0000000000149.0000000000 °F (-1565 °C)	
Storage Relative Humidity	595 %	
Storage altitude	050000 ft (0.000000000015240.0000000000 m)	

## Ordering and shipping details

GTIN 731304327783

## **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	73.8 in (187.5 cm)
Package 1 Width	5.3 in (13.5 cm)
Package 1 Length	8.9 in (22.6 cm)
Package 1 Weight	17.6 lb(US) (8 kg)

## **Contractual warranty**

Warranty 2 years repair or replace



**Green Premium**<sup>TM</sup> **label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >









Energy Efficient Take-back Transparency RoHS/REACh

### Resource performance

**Energy Efficient Product** 



Take-Back Program Available

### Well-being performance



Lead Free

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information