HP EliteDisplay S340c 34-inch Curved Monitor



Master every task and take collaboration beyond the everyday with the immersive HP EliteDisplay S340c 34-inch Curved Monitor. Juggle conference calls, presentations, and spreadsheets in extra-wide QHD. Conference in style with a pop-up webcam, mic, and premium audio by Bang & Olufsen.



Cue the big oohs and ahs

 Get an ultra-slim QHD display that'll be the star attraction on any desk. Unrivaled across HP business displays, its extraordinary 34" diagonal curved screen, 21:9 aspect ratio, and three-sided micro edge make the most of all available screen space.

Pilot the perfect conference

• Prepare for a collaborative experience that puts all others to shame with HP's best conferencing display yet. It's Skype for Business® certified and has a pop-up webcam, microphone, and dual speakers with premium audio by Bang & Olufsen.

Sign in with your smile

• Say hello to simple, secure logins when you connect the display to your Windows 10 PC with Windows Hello. An integrated pop-up webcam with IR recognizes your face and automatically logs you in through facial recognition, no manual password required!

USB-C™ your way to complete PC productivity

 With just one USB-C™ connection at the display, you can drive power¹ to, and get video from, your HP Elite desktop, notebook, convertible or mobile device.

Featuring

- Connect with the latest and greatest peripherals and your trustiest longtime companions with DisplayPort™ 1.2 and HDMI video support and two downstream and one upstream USB 3.0 for data, on top of USB-C™ for video and power.¹
- Open and close the popup webcam with just one touch so it's only sending video when you want
 it to be. Deter theft with HP Display Assistant's user-designated PIN that deactivates the display
 if it's disconnected from a PC without approval.
- Use the adjustable tilt to find your comfort zone, or take the display completely off the desk and mount² on a wall with the integrated VESA pattern on the back of the display head.
- Rest assured that your IT investment is supported by a three-year standard limited warranty. To
 extend your protection, select an optional HP Care service.³









HP EliteDisplay S340c 34-inch Curved Monitor Specifications Table







Each Display sold separately.

Product Number	V4G46AA
Display Size (diagonal)	83,36 cm (34")
Display Type	VA w/LED backlight
Panel Active Area	31.38 x 13.13 in; 797.22 x 333.72 mm
Viewing Angle	178° horizontal; 178° vertical
Brightness	300 cd/m² ¹
Contrast Ratio	3000:1 static; 5000000:1 dynamic ²
Response Time	6 ms gray to gray ¹
Aspect Ratio	21:9
Native Resolution	WQHD (3440 x 1440 @ 60 Hz)
Resolutions Supported	3440 × 1440; 2560 × 1440; 1920 × 1200; 1920 × 1080; 1680 × 1050; 1600 × 1200; 1280 × 1024; 1280 × 720; 1024 × 768; 800 × 600; 720 × 400; 640 × 480
Display Features	Anti-glare; Language selection; LED Backlights; On-screen controls; Plug and Play; User programmable; User controls
User Controls	Menu; Minus ("-"); Plus ("+") /Input Control; OK/Auto; Power; Brightness; Contrast; Color Control; Image Control; OSD Control; Management; Language; Information; Input Control; Factory Reset
nput Signal	2 HDMI; 1 DisplayPort™ 1.2 (with HDCP support);
Ports and Connectors	1 USB Type-C™ (DisplayPort 1.2, power delivery up to 65 W); 1 USB 3.0 (two downstream) ¹
nput Power	Input voltage: 100 to 240 VAC
Power Consumption	185 W (maximum), 70 W (typical), 0.5 W (standby)
Dimensions with Stand (W x D x H)	31.88 x 18.76 x 7.80 in 80.98 x 47.65 x 19.82 cm
Dimensions without Stand (W x D x H)	31.88 x 15.56 x 4.03 in 80.98 x 39.53 x 10.24 cm Without stand
Weight	24.56 lb 11.14 kg With stand
Ergonomic Features	Tilt: -5 to +20°
Camera	720p integrated HD with dual microphones and LED
Multimedia	Four speakers, 7W per channel; Premium audio by Bang & Olufsen
Environmental	Arsenic-free display glass; Mercury-free display backlights; Low halogen ³
xpandable Solutions	HP Elite Slice; HP EliteBook Folio
What's in the box	Monitor; AC power cord; HDMI cable; CD (includes user guide, warranty, drivers); USB cable; USB Type-C™ cable; DisplayPort cable; Vesa mount bracket; External power adapter; L type screw driver
Warranty	Protected by HP, including a 3-year standard limited warranty. Optional HP Care Pack Services are extended service contracts that extend your protection beyond the standard warranties. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit www.hp.com/go/cpc.

See important legal disclaimers on the last page

Accessories and services (not included)

HP Quick Release Bracket



HP Quick Release is an easy to use, 100 mm VESA-compliant, LCD monitor mounting solution that allows you to quickly and securely attach a flat panel monitor to a variety of stands, brackets, arms or wall mounts. HP Quick Release can also be used for mounting any combination of devices that are compatible with the 100 mm VESA Flat Display Mounting Interface Standard. The failsafe "Sure-Lock" mechanism snaps the monitor (or mounted device) securely in place, and can be further secured with a theft-deterrent security screw.

Product number: EM870AA

HP UC Wired Headset



Enable crystal-clear sound and noise cancelling for meeting on-the-fly through your Windows notebook or tablet with the durable and lightweight HP UC Wired Headset, designed for a comfortable work day. 12

Product number: K7V17AA

HP UHD USB Graphics Adapter



Boost your productivity by extending or mirroring your desktop to a UHD display with the HP UHD USB Graphics Adapter. **Product number: N2UB1AA**

HP Business PC Security Lock v2 Kit



Help prevent chassis tampering and secure your PC and display in workspaces and public areas with the HP Business PC Security Lock v2 Kit.

Product number: N3R93AA

HP 4 year Next business day Exchange Extra-Large Monitor Service



HP Hardware Support Exchange Service offers a reliable and fast exchange service for eligible HP products. Specifically targeted at products that can easily be shipped and on which customers may easily restore data from backup files, HP Hardware Support Exchange Service is a cost-efficient but still convenient alternative to onsite support.

HP Hardware Support Exchange Service provides a replacement product or part to be delivered free of freight charges to your location within a specified period of time. Replacement products or parts are new or equivalent to new in performance.

Product number: U0J14E

Messaging Footnotes

- ¹ Up to 65 Watts.
- ² Mounting hardware sold separately.
- ³ Sold separately. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit www.hp.com/go/cpc. HP Services are governed by the applicable HP terms and conditions of service provided or indicated to Customer at the time of purchase. Customer may have additional statutory rights according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

Technical Specifications Footnotes

- 1 All specifications represent the typical specifications provided by HP's component manufacturers, actual performance may vary either higher or lower.
- ² The gray to gray Average Response Time product default is 12.7 ms, and can be adjusted to as low as 6.1 ms in the display menu.
 ³ External power supplies, power cords, cables and peripherals are not Low Halogen. Service parts obtained after purchase may not be Low Halogen.

Sign up for updates hp.com/go/getupdated Learn more at hp.com

© Copyright 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

