

#### SPECIFICATION SHEET

## PowerLite<sup>®</sup> 970 XGA 3LCD Projector

Flexible, easy installation 1.6 optical zoom



# The premium, ultra bright classroom projector with 1.6x optical zoom.

**Remarkable color accuracy** — up to 3x Higher Color Brightness<sup>1</sup> and up to 3x Wider Color Gamut<sup>2</sup> with Epson<sup>®</sup> over 1-chip DLP projectors

More accurate, vivid color, even in well-lit rooms - 4,000 lumens of equal color and white brightness<sup>3</sup>

Impressive image quality - native XGA (1024 x 768) resolution; 4:3 format

**Flexible, easy installation** – 1.6x optical zoom provides a wide range of zoom flexibility and incredible, sharp images

Long-lasting, low-cost lamps - up to 12,000 hours in ECO Mode<sup>4</sup>

**Enhanced wireless display technology** — connect up to 50 Chromebook<sup>™</sup>, Mac<sup>®</sup>, PC, iOS<sup>®</sup> and Android<sup>™</sup> devices, and simultaneously display up to four screens, with Epson iProjection<sup>™5</sup> (wireless module sold separately)

**Two-way content sharing** — teachers can push content from the projector to wirelessly connected devices and control which device screens to display; students can make notes and send their work back to the projector<sup>5</sup>

**Advanced network control** — RJ-45 and optional wireless connectivity for remote projector management, presentations over the network, and more

2x HDMI® - connect multiple A/V devices; includes 1x MHL-enabled port6

**Powerful, engaging sound** — includes a built-in 16 W speaker and microphone input; or, use external speakers, even in Standby Mode









### PowerLite® 970 XGA 3LCD Projector

#### Specifications

Projection System 3LCD, 3-chip technology Projection Method Front/rear/ceiling mount Driving Method Poly-silicon TFT Active Matrix Pixel Number 786,432 dots (1024 x 768) x 3 Color Brightness<sup>3</sup> Color Light Output: 4,000 lumens White Brightness<sup>3</sup> White Light Output: 4,000 lumens Aspect Ratio 4.3

#### Native Resolution 1024 x 768 (XGA)

Resize 640 x 480 (VGA), 800 x 600 (SVGA), 1280 x 800 (WXGA), 1280 x 960 (SXGA2), 1280 x 1024 (SXGA3), 1366 x 768 (WXGA60-3), 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1680 x 900 (WXGA++), 1600 x 1200 (UXGA60) Lamp Type 210 W UHE

#### Lamp Life<sup>4</sup>

ECO Mode: Up to 12,000 hours Normal Mode: Up to 6,000 hours Size (Projected Distance)

30" - 300" (0.76 - 7.62 m) (Zoom:Wide) **Keystone Correction** 

 $\label{eq:contrast} \begin{array}{l} \mbox{Vertical: $\pm$ 30 degrees (Automatic) \\ \mbox{Horizontal: $\pm$ 30 degrees (Slider) \\ \mbox{USB Plug 'n Play Projector is compatible with PC and \\ \mbox{Mac computers } \\ \mbox{Contrast Ratio Up to 15,000:1 } \\ \mbox{Color Reproduction Up to 1.07 billion colors } \end{array}$ 

#### **Projection Lens**

Type Manual focus F-number 1.51 – 1.99 Focal Length 18.2 – 29.2 mm Throw Ratio Range 1.38 (Zoom:Wide), 2.24 (Zoom:Tele) Zoom Ratio Optical zoom 1.0 – 1.6

#### Other

Display Performance NTSC: 480 lines, PAL: 576 lines (Depends on observation of the multi-burst pattern) Input Signal NTSC/NTSC4.43/PAL/M-PAL/N-PAL/PAL60/SECAM Speaker 16 W (mono) Operating Temperature 41 ° to 95 °F (5 ° to 35 °C) Power Supply Voltage 100 – 240 V AC ±10%, 50/60 Hz Power Consumption ECO Mode: 237 W Normal Mode: 326 W Standby (Communication On): 2.0 W

Standby (Communication Off): 0.2 W Fan Noise ECO Mode: 28 dB Normal Mode: 37 dB Security Kensington-style lock provision, padlocl

**Security** Kensington-style lock provision, padlock and security anchor bar

1x USB-A 1x USB-B 1x LAN 1x HDMI 1x HDMI/MHL® 2x Computer/Component 1x Video 1x RS-232c 1x Stereo Mini-jack (Mic) 1x Monitor Out Audio 1 & 2 Audio L & R 1x Audio Out

Interfaces

Audio 1 & 2 Audio L & R 1x Audio Out Wireless LAN port: 802.11 b/g/n (optional – module sold separately)

#### Dimensions (W x D x H)

Including Feet 12.1" x 11.5" x 4.1" Excluding Feet 12.1" x 11.1" x 3.5" Weight 6.61 lb (3.0 kg)

#### **Remote Control**

Features A/V Mute, Freeze, Split, Aspect, Color Mode, Auto, MHL Menu, Volume Operating Angle Right/left: ± 30 degrees Upper/lower: ± 15 degrees Operating Distance 19.7 ft (6 m)

#### **Eco Features**

RoHS compliant Recyclable product<sup>7</sup> Epson America, Inc. is a SmartWay<sup>®</sup> Transport Partner<sup>8</sup>



#### Support

Epson Connection<sup>sM</sup> Pre-sales support (U.S. and Canada): 800-442-1977

Internet website: www.epson.com

Service Programs 2-year projector limited warranty, Epson Road Service program, PrivateLine® dedicated toll-free support and 90-day lamp limited warranty

#### What's in the Box

PowerLite 970 projector, power cord, computer cable (VGA), projector remote control, batteries, user manual CD, Epson projector software CD, Quick Setup Sheet, warranty card, password protect sticker

#### **Ordering Information**

PowerLite 970 Projector	V11H865020
Genuine Epson Lamp (ELPLP96)	V13H010L96
Replacement Air Filter (ELPAF54)	V13H134A54
Wireless LAN Module (ELPAP10)	V12H731P02
Quick Connect USB Key (ELPAP09)	V12H005M09
Soft Carrying Case (ELPKS70)	V12H001K70
DC-21 Document Camera	V12H758020
DC-13 Document Camera	V12H757020
DC-07 Document Camera	V12H759020

1 Color brightness (color light output) in brightest mode, measured by a third-party lab in accordance with IDMS 15.4. Color brightness will vary depending on usage conditions. Top-selling Epson 3LCD projectors versus top-selling 1-chip DLP projectors based on PMA Research sales data for Dec. 2015 through Nov. 2016. | 2 Gamut volume in brightest mode, measured by a third-party lab in 3D in the CIE L'a'b' coordinate space. Top-selling Epson 3LCD projectors versus top-selling 1-chip DLP projectors based on PMA Research sales data for Dec. 2015 through Nov. 2016. | 3 Color brightness (color light output) and white brightness (white light output) will vary depending on usage conditions. Color light output measured in accordance with IDMS 15.4; white light output measured in accordance with SO 21118. | 4 Lamp life will vary depending upon mode selected, environmental conditions and usage. Lamp brightness deversases over time. | 5 For wireless functionality, including via the Epson iProjection App, the projector must be configured on a network, either through the Ethernet port on the projector (check model specifications for availability) or via a wireless connection. Check your owner's manual to determine if a wireless LAN module must be purchased separately to enable a wireless connection. Not all Epson projectors are able to be networked. The Epson iProjection App does not support all files and formats. See www.epson.com for details. | 6 Includes one Mobile High-Definition Link<sup>®</sup> (MHL) HDMI port. | 7 For convenient and reasonable recycling options, visit www.epson.com/recycle | 8 SmartWay is an innovative partnership of the U.S. Environmental Protection Agency that reduces greenhouse gases and other air pollutants and improves fuel efficiency.

Learn more about how our products can empower your institution. Visit us at www.epson.com/foreducation

## Better Products for a Better Future<sup>®</sup> eco.epson.com

**Epson America, Inc.** 3840 Kilroy Airport Way, Long Beach, CA 90806



Epson Canada Limited 185 Renfrew Drive, Markham, Ontario L3R 6G3

www.epson.com www.epson.ca

Specifications and terms are subject to change without notice. EPSON and PowerLite are registered trademarks, EPSON Exceed Your Vision is a registered logomark and Better Products for a Better Future and Epson iProjection are trademarks of Seiko Epson Corporation. PrivateLine is a registered trademark and Epson Connection is a service mark of Epson America, Inc. Mac is a trademark of Apple Inc., registered in the U.S. and other countries. Android and Chromebook are trademarks of Google Inc. SmartWay is a registered trademark of the U.S. Environmental Protection Agency. All other product and brand names are trademarks and/or registered trademarks of the ir respective companies. Epson disclaims any and all rights in these marks. Copyright 2017 Epson America, Inc. Com-SS-Oct-13 CPD-54411 9/17

Specification Sheet | Page 2 of 2

Education

Contact: