Overview



Reliably print professional marketing materials

Print high-quality documents with Original HP Toner Cartridges that were designed for your Samsung printer for worry-free performance. Keep business productivity high and print more with optional high-yield cartridges.[1]

Print standout documents and marketing materials

Increase the impact of the documents that represent your business with vivid colors from Original HP Toner.

Stay productive with reliable HP Toner Cartridges

Avoid wasted pages, provide smooth printing performance, and get the HP quality you expect.

To help protect your printer and your data.[3]

HP and our partners have sophisticated manufacturing processes that follow industry best practices on security.[3]

[1] High-yield cartridges are not included in printer purchase; purchase separately. See http://hp.com/learnaboutsupplies .

[3] Samsung office-class printing systems are select laser printers and MFPs with secure firmware. Digital supply-chain tracking, hardware, chips and packaging security features vary locally by SKU. See http://hp.com/cartridgesecurity.

Specifications

Print Cartridge/Bottle, Color(s)	Black
Print Technology	Laser
Supply type	Fuser/Maintenance Kits
Operating temperature range	10 to 30℃
Storage temperature range	-20 to 40°C
Operating humidity range	10 to 80% RH
Non-Operating Humidity Range	10 to 90% RH
Compatibility	Xpress M3015, Xpress M3065
Product count per unit	1
UPC number	191628484386
Package dimensions (W x D x H)	359 x 262 x 96 mm
Package dimensions (W x D x H)	14.13 x 10.31 x 3.77 in
Package weight	0.88 kg
Package weight	1.94 lb
Page Yield	9000
Page yield (black and white)	9,000 pages
What's in the box	Imaging Unit
Manufacturer Warranty	This product is warranted to be free from defects in materials and workmanship

Additional specifications

Cartridge Colors	Black
Country of origin	Made in China
Operating temperature range	50 to 86°F
Package count	1
Print technology	Laser
Product brand name	HP
Product subgroup	Fuser/Maintenance Kits
Selectability	R116
Storage temperature range	-4 to 104°F
UNSPSC code	44103109

Disclaimer — Copyright

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (us-en) – Feb 21, 2025 8:03 AM UTC+0000