HP Z4 G4 Workstation



HP's most popular workstation just got better. Perfect for engineering, the Z4 delivers mainstream performance for a wide spectrum of applications. With server-grade processing and a full set of components you get everything you need, nothing more.



HP recommends Windows 10 Pro.

Feature-rich functionality

• The Z4 is ahead of its time with more standard features than any other single processor HP workstation. With multiple configuration options, you can choose the perfect blend of components that meet your performance requirements.

All the power without the noise

• Next-generation acoustic design delivers quiet performance. A high frequency processor with a multi-core count is fully capable of handling the demands of 3D CAD and rendering software, so you can visualize your idea anytime during the design process.

HP's most secure workstations

• Advanced security features come standard on every Z4. Rest assured your device, identity and data are safe with security software like HP Client Security Suite² and HP Sure Start, the industry's first self-healing BIOS with intrusion detection.

Featuring

- Support your unique user needs with a choice of Windows 10 Pro 64 or Linux[®] operating systems.
- Run demanding professional apps with the newest generation Intel[®] Xeon[®] processors with up to 10 cores for powerful performance and productivity.
- Get serious about graphics and reach peak productivity with access to a breadth of NVIDIA® and AMD professional graphics from entry to high-end 3D.
- Install pro-grade storage hardware and elevate your storage-bound apps without sacrificing standard PCIe slots.
- The simply stunning design features front and rear handles, so you can easily relocate your system.
- Save space within your office layout with a 10% smaller chassis than the previous generation.
- Work stress-free knowing your BIOS has not been compromised. HP Sure Start automatically detects intrusions in real-time, notifies you, and restores BIOS.
- Multiple high-speed network connections are easy and speedy with dual embedded 1GbE LAN ports and with Thunderbolt™ 3 technology for fast data transfers.
- The optional dual front I/O USB 3.1 G2 Type C[™] module lets you transfer data to devices using modern connection technology at higher data rates.
- Optional self-encryption drives thwart outside access so your valuable IP won't fall into the wrong hands.

HP recommends Windows 10 Pro.

HP Z4 G4 Workstation Specifications Table






Boost Technology, 11 MB cache, B cores); Intel [®] Xeon [®] V33 33 G. 6CH base frequency, up to 3.9 GHz with Intel [®] Turbo Boost Technology, 8.25 MB cache, 6 cores); Intel [®] Xeon [®] V32 23 (G GHz base frequency, up to 3.9 GHz with Intel [®] Turbo Boost Technology, 8.25 MB cache, 4 cores); Intel [®] Xeon [®] V32 23 (G GHz base frequency, up to 3.9 GHz with Intel [®] Turbo Boost Technology, 8.25 MB cache, 4 cores); Intel [®] Xeon [®] V32 123 (G GHz base frequency, up to 3.9 GHz with Intel [®] Turbo Boost Technology, 8.25 MB cache, 4 cores); Intel [®] Xeon [®] V32 123 (G GHz base frequency, up to 3.9 GHz with Intel [®] Turbo Boost Technology, 8.25 MB cache, 4 cores); Intel [®] Xeon [®] V32 123 (G GHz base frequency, up to 3.9 GHz with Intel [®] Turbo Boost Technology, 8.25 MB cache, 4 cores); Intel [®] Xeon [®] V32 123 (G GHz base frequency, up to 3.9 GHz with Intel [®] Turbo Boost Technology, 8.25 MB cache, 4 cores); Intel [®] Xeon [®] V32 123 (G GHz base frequency, up to 3.9 GHz with Intel [®] Turbo Boost Technology, 8.25 MB cache, 4 cores); Intel [®] Xeon [®] V32 123 (G GHz base frequency, up to 3.9 GHz with Intel [®] Turbo Boost Technology, 8.25 MB cache, 4 cores); Intel [®] Xeon [®] V32 123 (G GHz base frequency, up to 3.9 GHz with Intel [®] Turbo Boost Technology, 8.25 MB cache, 6 cores); Intel [®] Xeon [®] V32 123 (G GHz base frequency, up to 3.9 GHz with Intel [®] Turbo Boost Technology, 8.25 MB cache, 6 cores); Intel [®] Xeon [®] V32 123 (G GHz base frequency, up to 3.9 GHz with Intel [®] Turbo Boost Technology, 8.25 MB cache, 6 cores); Intel [®] Xeon [®] V32 123 (G GHz base frequency, up to 3.9 GHz with Intel [®] Turbo Boost Technology, 8.25 MB cache, 6 cores); Intel [®] Xeon [®] V32 123 (G GHz base frequency, up to 3.9 GHz with Intel [®] Turbo Boost Technology, 8.25 MB cache, 6 cores); Intel [®] Xeon [®] V32 123 (G GHz base frequency, up to 3.9 GHz with Intel [®] Turbo Boost Technology, 8.25 MB cache, 6 cores); Intel [®] Xeon	Operating System	Windows 10 Pro 64 for Workstations – HP recommends Windows 10 Pro. ^{1.20,21} HP Installer Kit for Linux [®] Red Hat [®] Enterprise Linux [®] Installer Kit includes drivers for 64-bit versions of Red Hat [®] Enterprise Linux [®] 7.4, SUSE Linux [®] Enterprise Desktop 12 and Ubuntu 16.04. Red Hat [®] Enterprise Linux [®] (1-year paper license only) is available as a second operating system.
absol technologi, 11 Historia, a conduct and Water Mill 13 Gife base framewige, 16 historia	Processor Family	Intel® Xeon® W processor
Return Memory 200 GL0001-300 GL000041 Return Store 3 DPM Return Store 3 DPM Drive Centrollers Integrated KSA. 60 Deb Sch (13000 rpm) ⁴ sup S000 GS Sch (13000 rpm) ⁴ Sch (1400 rpm) ⁴ Sch (14	Processors ^{2,3}	frequency, up to 4.5 GHz with Intel® Turbo Boost Technology, 8.25 MB cache, 4 cores); Intel® Xeon® W2135 (3.7 GHz base frequency, up to 4.5 GHz with Intel® Turbo Boost Technology, 8.25 MB cache, 6 cores); Intel® Xeon® W2123 (3.6 GHz base frequency, up to 3.9 GHz with Intel® Turbo Boost Technology, 8.25 MB cache, 4 cores); Intel® Xeon® W2123 (3.6 GHz base frequency, up to 4.5 GHz with Intel® Turbo Boost Technology, 8.25 MB cache, 6
Interformate (b): 2058 MMS. Renery Stats EDWA Renery Stats EDWA Renery Stats EDWA Renery Stats EDWA Renery Stats Stats 60 Abs, factory Integrated RMD available for SFM/SM2 drives (RMD 0, 0 Cas, 1, 5, and 10) Integrated SFM 60 Dobb, factory Integrated RMD available for SFM/SM2 drives (RMD 0, 0 Cas, 1, 5, and 10) Integrate SFM Stats 60 Dobb, factory Integrated RMD available for SFM/SM2 drives (RMD 0, 0 Cas, 1, 5, and 10) Option SFM Stats 60 Dobb, factory Integrated RMD available for SFM/SM2 drives (RMD 0, 0 Cas, 1, 5, and 10) Option SFM Stats 80 DOBB, SMEST RENER STATS 80 DOB PME FMS Option SFM Stats 80 DOBB, DMEST RENER STATS 80 DOB PME FMS Option SFM Stats 80 DOBB, SMEST RENER STATS 80 DOBB, SMEST RENE STATS 80 DOBB, SMEST RENE STATS 80 DOBB, SMEST RENE STATS 80 DOBB, SMEST RENER STATS 80 DOBB, SMEST RENER STATS 80 DOBB, SMEST RENER STATS 80 DOBB, SMEST RENE STATS 80 DOBB, SMEST RENER STATS 80 DOBB, SMEST RENER STATS 80 DOBB, SMEST RENER STATS 80 DOBB, SMEST RENE STATS 80 DOBB, SMEST RENE STATS 80 DOBB, SMEST RENE STATS 80 DOBB, SMEST R	Chipset	Intel® C422
Drive Castroliers Integrated SMR 6.0 Ga(c, Factory integrated RAD available for SRW,SKG dives (RAD 0, 0 Data, 1, 5, and 10) Internal Storage up to 300 GF SKG Storog m1 ⁴ Storage Storage up to 300 GF SKG Storog m1 ⁴ '1 Till base Storage '1 Till base Storage Stor	Maximum Memory	
Internal Storage Up 00 00 545 (1500 rpm) ⁴ Storage with the storage with the storage of the storage of the storage of the storage of the storage with the storage of the storage with the storage with the storage of the storage with the storage of the storage with storage with storage with the storage with storage wi	Memory Slots	8 DIMM
S00 Guip 20 T SVA (2200 pm) ⁴ 11 Fb up 14 7B 2200 pm SVA (2200 pm) ⁴ 12 Fb up 14 7B 2200 pm SVA (2500 pm) ⁴ 256 Guip 20 T SVA (2500 pm) ⁴ 256 Sub 20 T SVA (2500 pm) ⁴ 256	Drive Controllers	Integrated SATA 6.0 Gb/s; Factory integrated RAID available for SATA/SAS drives (RAID 0, 0 Data, 1, 5, and 10)
Additional Storage HP S0 4 Medic and Reader Topicnial Additional Storage HP S0 4 Medic and Reader Topicnial Available Graphics Entry 3D: NUDAP Quadro [®] PAGO 12 GG CDDRS dedicated: NUDA [®] Quadro [®] PAGO 12 GG CDDRS dedicated: AND Readon [®] Pro WX 4100 Craphics IG GG CDDRS dedicated: ¹² Pro WX 4100 Craphics IG GG CDDRS dedicated: ¹² Pro WX 100 Craphics IG GG CDDRS dedicated: ¹² Pro WX 100 Craphics IG GG CDDRS dedicated: ¹² Pro WX 4100 Craphics IG GG CDDRS dedicated: ¹² Pro Pro WX 4100 Craphics IG GG CDDRS dedicated: ¹² Pro WX 4100 Craphics IG GG CDDRS dedicated: ¹² Pro Pro WX 4100 Craphics IG GG CDDRS dedicated: ¹² Pro Pro WX 4100 Craphics IG GG CDDRS dedicated: ¹² Pro Pro WX 4100 Craphics IG GG CDDRS dedicated: ¹² Pro Pro WX 4100 Craphics IG GG CDDRS dedicated: ¹² Pro Pro WX 4100 Craphics IG GG CDDRS dedicated: ¹² Pro Pro WX 4100 Craphics IG GG CDDRS dedicated: ¹² Pro Pro WX 4100 Craphics IG GG CDDRS dedicated: ¹² Pro Pro WX 4100 Craphics IG GG CDDRS dedicated: ¹² Pro Pro WX 4100 Craphics IG GG CDDRS dedicated: ¹² Pro Pro WX 4100 Craphics IG GG CDRS dedicated: ¹² Pro Pro WX 4100 Craphics IG GG CDRS dedicated: ¹² Pro Pro WX 4100 Craphics IG BG CDRS dedicated: ¹² Pro Pro WX 4100 Craphics IG BG CDRS dedicated: ¹² Pro Pro WX 4100 Craphics IG BG CDRS dedicated: ¹² Pro Pro WX 4100 Craphics IG BG CDRS dedicated: ¹² Pro Pro WX 4100 Craphics IG BG CDRS dedicated: ¹² Pro Pro WX 4100 Craphics IG BG C	Internal Storage	500 GB up to 2 TB SATA (7200 rpm) ⁴ up to 500 GB SATA SED (7200 rpm) ⁴ 1 TB up to 4 TB 7200 rpm SATA Enterprise ⁴ 256 GB up to 2 TE SATA SSD ⁴ 256 GB up to 512 GB SATA SED Opal 2 SSD ⁴
Available Graphics Enry 3D. NUTUR Quark P RADID C GB CODE Coducted), NUTUR Quark Quark P RADID C GB CODES dedicated), AND PreNorm W2100 Craphics 12 GB DDR3 dedicated), AND Reference P ROV X1 00 Craphics 12 GB DDR3 dedicated), AND Reference P ROV X1 00 Craphics 12 GB DDR3 dedicated), AND Reference P ROV X1 00 Craphics 12 GB DDR3 dedicated), AND Reference P ROV X1 00 Craphics 12 GB DDR3 dedicated), NUDA Quark P ROD IC GB DDR3 dedicated), AND Reference P ROV X1 00 Craphics 12 GB DDR3 dedicated), NUDA Quark P ROD IC GB	Optical Storage	HP Slim DVD-R0M; HP Slim Blu-ray Writer; HP Slim DVD-Writer ^{5,6}
Mci-ange 3D: NMIA# Quadro* P1000 (4 GE GDDRS decicated): NMID# Quadro* P2000 (5 GB GDDRS decicated): AMD Radeon** Pro WX 3100 Graphics (4 GB GDDRS decicated): NMID# Quadro* P4000 (8 GB GDDRS decicated): AMD Radeon** Po WX 3100 Graphics (4 GB GDDRS decicated): NMID# Quadro* P4000 (8 GB GDRS decicated): NMID# Qu	Additional Storage	HP SD 4 Media Card Reader (optional)
Communications LAK: Integrated Intel® 1219-LM PCle® GbE; Integrated Intel® 1210-AT PCle® GbE; Intel® 1350-T2 dual-port GbE NIC; Intel® 1350-T4 dual-port GbE NIC; Intel® 1210-T1 PCle® GbE; Intel® X550-T2 dual-port GbE NIC; Intel® 1350-T4 dual-port GbE NIC; Intel® 1210-T1 PCle® GbE; Intel® X550-T2 dual-port GbE NIC; Intel® 1350-T4 dual-port GbE NIC; Intel® 1210-T1 PCle® GbE; Intel® X550-T2 dual-port GbE NIC; Intel® 1210-T1 PCle® GbE; Intel® X550-T2 dual-port GbE NIC; Intel® 1350-T4 dual-port GbE NIC; Intel® 1210-T1 PCle® GbE; Intel® X550-T2 dual-port GbE NIC; Intel® 1310, This is the intel transceiver Expansion Slots 2 PCle 3 x4; 2 M2 PCle 3 x4; 1 PCle x6; 2 PCle x16 Slots 2 and 4; PCl with open-ended connector. Slot 5: CD with open-ended connector. M2 Slots: CPU up to 80 mm storage devices. Ports and Connectors Forn: Theadset connector x08 B3: 11 (thearingn) Rear GUB 31. Gen 12; RL-45 (T GbE); 1 audio line vii; 1 audio line vii; 1 PS/2 mouse port; 1 PS/2 keyhoard port; 1 serial port (optional) Premium front includes: 1 headset; 2 USB 3.1 Gen 1 (1 charging), 2 USB 3.1 Gen 2 Type-C ^m . Drive Bays (External) Two 2.5' or 3.5' Drive Bays (External) Two 5.25; ¹⁶ Input Device HP SP:2 Rusiness Slim Keyboard; USB Premium wired keyboard; USB Smart Card (CCD) keyboard ¹⁰ ; 3Dconnexion CADMouse; HP USB Optical Mouse; HP PS/2 Mouse; HP Software HP Remote Graphics Software (RGS); HP Performance Advisor ¹³ Security HP Sure Start Gen3; Secure authentication; Kensington lock slot; Full volume encryption; HP Keyed Cable Lock Ki; TPM 2.0 certified; HP Secure Erase ^{14,15,18} <td>Available Graphics</td> <td>Mid-range 3D: NVIDIA® Quadro® P1000 (4 GB GDDR5 dedicated); NVIDIA® Quadro® P2000 (5 GB GDDR5 dedicated); AMD Radeon™ Pro WX 3100 Graphics (4 GB GDDR5 dedicated); AMD Radeon™ Pro WX 4100 Graphics (4 GB GDDR5 dedicated) ¹⁷ High-end 3D: AMD Radeon™ Pro WX 7100 Graphics (8 GB GDDR5 dedicated); NVIDIA® Quadro® P4000 (8 GB GDDR5 dedicated); NVIDIA® Quadro® P5000 (16 GB GDDR5X dedicated); NVIDIA® Quadro®</td>	Available Graphics	Mid-range 3D: NVIDIA® Quadro® P1000 (4 GB GDDR5 dedicated); NVIDIA® Quadro® P2000 (5 GB GDDR5 dedicated); AMD Radeon™ Pro WX 3100 Graphics (4 GB GDDR5 dedicated); AMD Radeon™ Pro WX 4100 Graphics (4 GB GDDR5 dedicated) ¹⁷ High-end 3D: AMD Radeon™ Pro WX 7100 Graphics (8 GB GDDR5 dedicated); NVIDIA® Quadro® P4000 (8 GB GDDR5 dedicated); NVIDIA® Quadro® P5000 (16 GB GDDR5X dedicated); NVIDIA® Quadro®
NIC: Intel [®] XTI 0-A2 dual-port CBC NIC: Intel [®] 10 GBC SFP - St transceiver WLAkk: Intel [®] XTI 0-A2 dual-port CBC NIC: Intel [®] 10 GBC SFP - St transceiver WLAkk: Intel [®] Dual Band Wuless-AG 8256 802.11 Albg/ndz C2: 20 WL-FP and Bluetooth® 4.2 Combo, non-vPro ^{m 9} Expansion Slots 2 CPG 3 x4; 2 M2 PCIe 3 x4; 1PC exit 6 Slots 2 and 4: PCH with open-ended connector. Slot 5: CPU with open-ended connector. M.2 Slots: CPU up to 80 mm storage devices. Ports and Connectors Ren: 6 USB 3.1 Gen 1; 2 R.4451 (GBC); 1 audo line out; 1 Serial port (optional) Premium front includes: 1 headset, 2 USB 3.1 Gen 1 (1 charging), 2 USB 3.1 Gen 2 Type-C ^m . Drive Bays (Extran) Two 2.5° or 3.5° Drive Bays (Extran) Two 5.25°; 16 Input Device HP PS/2 Business Slim Keyboard; HP USB Business Slim Keyboard; USB Premium wired keyboard; USB Smart Card (CCD) keyboard ¹⁰ , 3Dconnesion CADMouse; HP USB Optical Mouse; HP PS/2 Mouse; HP USB Optical Mouse; HP S/2 Mouse; HP USB Mouse; HP S/2 Mouse; HP USB Mouse; HP USB Optical Mouse; HP S/2 Mouse; HP USB Optical Mouse; HP S/2 Mouse; HP USB Mouse; HP S/2 Mouse; HP Mouse Mouse; HP Mouse Mouse; HP Mouse Mouse; HP Mo	Audio	Integrated Realtek HD ALC221
Slots 2 and 4: PCH with open-ended connector. Slot 5: CPU with open-ended connector. M.2 Slots: CPU up to 80 mm storage devices. Ports and Connectors Front: 1 headset connector; 4USB 3.1 (1 charging) Premium front includes: 1 headset, 2 USB 3.1 Gen 1 (1 charging), 2 USB 3.1 Gen 2 Type-C ^M . Drive Bays(Internal) Two 2.5' or 3.5" Drive Bays(External) Two 5.25', 16 Input Device HP 5/2 Business Slim Keyboard; HP USB Business Slim Keyboard; USB Premium wired keyboard; USB Smart Card (CCD) keyboard ¹⁰ ; 3Dconnexion CADMouse; HP DSD Optical Mouse; HP PS/2 Mouse; HP Software HP Remote Graphics Software (RGS); HP Performance Advisor ¹³ Software HP Remote Graphics Software (RGS); HP Performance Advisor ¹³ Dives Start Gen3; Secure authentication; Kensington Lock slot; FUI volume encryption; HP Keyed Cable Lock Kit; TPM 2.0 certified; HP Secure Erase ^{14,15,18} Power 1000 W internal power supply, up to 90% efficiency, active PFC; 465 W internal power supply, up to 90% efficiency, active PFC; 750 W internal power supply, up to 90% efficiency, active PFC; 750 W internal power supply, up to 90% efficiency, active PFC; ¹⁹ Dimesions 366 x 16.9 x 44.5 cm Weight Sarting at 10.2 kg Compatible Displays All HP Z Displays and HP DreamColor Displays are supported. For more information see www.hp.com/gol/zdisplays. Energy Efficiency Compliance NERGY STAR ⁴ certified and EPEAT ^{4*} Gold registered configurations available ¹¹ </td <td>Communications</td> <td></td>	Communications	
Rear: 61/36 3.1 Gen 1; 2.RJ-45 (1 GbE); 1 audio line out; 1 audio line in; 1 PS/2 mouse port; 1 PS/2 keyboard port; 1 serial port (optional) Premium front includes: 1 headset, 2 USB 3.1 Gen 1 (1 charging), 2 USB 3.1 Gen 2 Type-C ^M . Drive Bays(Internal) Two 2.5° or 3.5° Drive Bays (External) Two 5.25°; ¹⁶ Input Device HP PS/2 Business Slim Keyboard; HP USB Business Slim Keyboard; USB Premium wired keyboard; USB Smart Card (CCD) keyboard ¹⁰ ; 3Dconnexion CADMouse; HP USB Optical Mouse; HP PS/2 Mouse; HP Software HP PS/2 Business Slim Keyboard; HP USB Business Slim Keyboard; USB Premium wired keyboard; USB Smart Card (CCD) keyboard ¹⁰ ; 3Dconnexion CADMouse; HP USB Optical Mouse; HP PS/2 Mouse; HP Software HP Pence Graphics Software (RGS); HP Performance Advisor ¹³ Security HP Sure Start Gen3; Secure authentication; Kensington lock slot; Ful volume encryption; HP Keyed Cable Lock Kit; TPM 2.0 certified; HP Secure Erase ^{14,15,18} Power 1000 W Internal power supply, up to 90% efficiency, active PFC; 456 W Internal power supply, up to 90% efficiency, active PFC; 750 W Internal power supply, up to 90% efficiency active PFC ¹⁹ Dimensions 38.6 x 16.9 x 44.5 cm Weight Starting at 10.2 kg Environmental Certification Low halogen ¹² Compatible Displays and HP DreamColor Displays are supported. For more information see www.hp.com/go/zdisplays. Energy Efficiency Compliance NERGY STAR® certif	Expansion Slots	
Drive Bays (External) Two 5.25°; ¹⁶ Input Device HP PS/2 Business Slim Keyboard; HP USB Business Slim Keyboard; USB Premium wired keyboard; USB Smart Card (CCID) keyboard ¹⁰ ; 3Dconnexion CADMouse; HP USB Optical Mouse; HP PS/2 Mouse; HP Software HP Remote Graphics Software (RGS); HP Performance Advisor ¹³ Security HP Sure Start Gen3; Secure authentication; Kensington lock slot; Full volume encryption; HP Keyed Cable Lock Kit; TPM 2.0 certified; HP Secure Erase ^{14,15,18} Power 1000 W internal power supply, up to 90% efficiency, active PFC; 465 W internal power supply, up to 90% efficiency, active PFC, ¹⁹ Dimensions 38.6 x 16.9 x 44.5 cm Weight Starting at 10.2 kg Environmental Certification Low halogen ¹² Compatible Displays All HP Z Displays and HP DreamColor Displays are supported. For more information see www.hp.com/go/zdisplays. Energy Efficiency Compliance ENERGY STAR® certified and EPEAT® Gold registered configurations available ¹¹ Warranty On-site limited warranty and service offering delivers on -site, next business-day service for parts and labor and includes free telephone support 8 am - 5 pm.	Ports and Connectors	Rear: 6 USB 3.1 Gen 1; 2 RJ-45 (1 GbE); 1 audio line out; 1 audio line in; 1 PS/2 mouse port; 1 PS/2 keyboard port; 1 serial port (optional)
Input Device HP PS/2 Business Slim Keyboard; HP USB Business Slim Keyboard; USB Premium wired keyboard; USB Smart Card (CCID) keyboard ¹⁰ ; 3Dconnexion CADMouse; HP USB Optical Mouse; HP PS/2 Mouse; HP Software HP Remote Graphics Software (RGS); HP Performance Advisor ¹³ Security HP Sure Start Gen3; Secure authentication; Kensington lock slot; Full volume encryption; HP Keyed Cable Lock Kit; TPM 2.0 certified; HP Secure Erase ^{14,15,18} Power 1000 W internal power supply, up to 90% efficiency, active PFC; 45S W internal power supply, up to 90% efficiency, active PFC; 750 W internal power supply, up to 90% efficiency, active PFC; ¹⁹ Dimensions 38.6 x 16.9 x 44.5 cm Weight Starting at 10.2 kg Environmental Certification Low halogen ¹² Compatible Displays All HP Z Displays and HP DreamColor Displays are supported. For more information see www.hp.com/go/zdisplays. Energy Efficiency Compliance ENERGY STAR® certified and EPEAT® Gold registered configurations available ¹¹ Warranty On-site limited warranty and service offering delivers on -site, next business-day service for parts and labor and includes free telephone support and no service offering. 24/7	Drive Bays(Internal)	Two 2.5" or 3.5"
USB Hardened Mouse ¹⁰ Software HP Remote Graphics Software (RGS); HP Performance Advisor ¹³ Security HP Sure Start Gen3; Secure authentication; Kensington lock slot; Full volume encryption; HP Keyed Cable Lock Kit; TPM 2.0 certified; HP Secure Erase ^{14,15,18} Power 1000 W internal power supply, up to 90% efficiency, active PFC; 465 W internal power supply, up to 90% efficiency, active PFC; 750 W internal power supply, up to 90% efficiency, active PFC; ¹⁹ Dimensions 38.6 x 16.9 x 44.5 cm Weight Starting at 10.2 kg Environmental Certification Low halogen ¹² Compatible Displays All HP Z Displays and HP DreamColor Displays are supported. For more information see www.hp.com/go/zdisplays. Energy Efficiency Compliance ENERGY STAR® certified and EPEAT® Gold registered configurations available ¹¹ Warranty On-site limited warranty and service offering delivers on -site, next binsies-day service for parts and labor and includes free telephone support 8 am - 5 pm.	Drive Bays (External)	Two 5.25", ¹⁶
Security HP Sure Start Gen3; Secure authentication; Kensington lock slot; Full volume encryption; HP Keyed Cable Lock Kit; TPM 2.0 certified; HP Secure Erase ^{14,15,18} Power 1000 W internal power supply, up to 90% efficiency, active PFC; 465 W internal power supply, up to 90% efficiency, active PFC; 750 W internal power supply, up to 90% efficiency, active PFC; ¹⁹ Dimensions 38.6 x 16.9 x 44.5 cm Weight Starting at 10.2 kg Environmental Certification Low halogen ¹² Compatible Displays All HP Z Displays and HP DreamColor Displays are supported. For more information see www.hp.com/go/zdisplays. Energy Efficiency Compliance ENERGY STAR® certified and EPEAT® Gold registered configurations available ¹¹ Warranty On-site limited warranty and service offering delivers on -site, next business-day service for parts and labor and includes free telephone support 8 am - 5 pm.	Input Device	
Power 1000 Winternal power supply, up to 90% efficiency, active PFC; 465 Winternal power supply, up to 90% efficiency, active PFC; 750 Winternal power supply, up to 90% efficiency, active PFC ¹⁹ Dimensions 38.6 x 16.9 x 44.5 cm Weight Starting at 10.2 kg Environmental Certification Low halogen ¹² Compatible Displays All HP 2 Displays and HP DreamColor Displays are supported. For more information see www.hp.com/go/zdisplays. Energy Efficiency Compliance ENERGY STAR® certified and EPEAT® Gold registered configurations available ¹¹ Warranty On-site limited warranty and service offering delivers on -site, next business-day service for parts and labor and includes free telephone support 8 am - 5 pm.	Software	HP Remote Graphics Software (RGS); HP Performance Advisor ¹³
Dimensions 38.6 × 16.9 × 44.5 cm Weight Starting at 10.2 kg Environmental Certification Low halogen ¹² Compatible Displays All HP Z Displays and HP DreamColor Displays are supported. For more information see www.hp.com/go/zdisplays. Energy Efficiency Compliance ENERGY STAR® certified and EPEAT® Gold registered configurations available ¹¹ Warranty On-site limited warranty and service offering delivers on-site, next business-day service for parts and labor and includes free telephone support 8 am - 5 pm.	Security	HP Sure Start Gen3; Secure authentication; Kensington lock slot; Full volume encryption; HP Keyed Cable Lock Kit; TPM 2.0 certified; HP Secure Erase ^{14,15,18}
Weight Starting at 10.2 kg Environmental Certification Low halogen ¹² Compatible Displays All HP Z Displays and HP DreamColor Displays are supported. For more information see www.hp.com/go/zdisplays. Energy Efficiency Compliance ENERGY STAR® certified and EPEAT® Gold registered configurations available ¹¹ Warranty On-site limited warranty and service offering delivers on-site, next business-day service for parts and labor and includes free telephone support 8 am - 5 pm. Global coverage ensures that any product purchased in one country and transferred to another, non-restricted country will remain fully covered under the original warranty and service offering. 24/7	Power	1000 W internal power supply, up to 90% efficiency, active PFC; 465 W internal power supply, up to 90% efficiency, active PFC; 750 W internal power supply, up to 90% efficiency, active PFC 19
Environmental Certification Low halogen ¹² Compatible Displays All HP 2 Displays and HP DreamColor Displays are supported. For more information see www.hp.com/go/zdisplays. Energy Efficiency Compliance ENERGY STAR® certified and EPEAT® Gold registered configurations available ¹¹ Warranty On-site limited warranty and service with 3 year limited warranty and service offering delivers on-site, next business-day service for parts and labor and includes free telephone support 8 am - 5 pm.	Dimensions	38.6 x 16.9 x 44.5 cm
Compatible Displays All HP 2 Displays and HP DreamColor Displays are supported. For more information see www.hp.com/go/zdisplays. Energy Efficiency Compliance ENERGY STAR® certified and EPEAT® Gold registered configurations available ¹¹ Warranty On-site limited warranty and service with 3 year limited warranty and service offering delivers on-site, next business-day service for parts and labor and includes free telephone support 8 am - 5 pm. Global coverage ensures that any product purchased in one country and transferred to another, non-restricted country will remain fully covered under the original warranty and service offering. 24/7	Weight	Starting at 10.2 kg
Energy Efficiency Compliance ENERGY STAR® certified and EPEAT® Gold registered configurations available ¹¹ Warranty On-site limited warranty and service with 3 year limited warranty and service offering delivers on-site, next business-day service for parts and labor and includes free telephone support 8 am - 5 pm. Global coverage ensures that any product purchased in one country and transferred to another, non-restricted country will remain fully covered under the original warranty and service offering, 24/7	Environmental Certification	Low halogen ¹²
Warranty On-site limited warranty and service with 3 year limited warranty and service offering delivers on-site, next business-day service for parts and labor and includes free telephone support 8 am - 5 pm. Global covered under the original warranty and service offering delivers on-site, non-restricted country will remain fully covered under the original warranty and service offering. 24/7	Compatible Displays	All HP Z Displays and HP DreamColor Displays are supported. For more information see www.hp.com/go/zdisplays.
Warranty On-site limited warranty and service with 3 year limited warranty and service offering delivers on-site, next business-day service for parts and labor and includes free telephone support 8 am - 5 pm. Global coverage ensures that any product purchased in one country and transferred to another, non-restricted country will remain fully covered under the original warranty and service offering. 24/7	Energy Efficiency Compliance	ENERGY STAR® certified and EPEAT® Gold registered configurations available ¹¹
	Warranty	Global coverage ensures that any product purchased in one country and transferred to another, non-restricted country will remain fully covered under the original warranty and service offering. 24/7

HP Z4 G4 Workstation

Recommended Accessories and Services



Messaging Footnotes

¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows® functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com

² HP Client Security Suite features vary by platform.

⁴ Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering is not a measurement of higher performance. Sold separately or as an optional feature.

⁶ HP Z Premium Front I/O 2xUSB-A 2xUSB-C is sold separately or as an optional feature.

⁷ Optional and available the first half of 2018.

Screen image courtesy of Chris McLennan

Screen image courtesy of Renault Sport Racing

Technical Specifications Footnotes

¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows 10 is automatically updated, which is always enabled. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.

² Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

³ Some vPro functionality of this technology, such as Intel[®] Active management technology and Intel Virtualization technology, requires additional 3rd party software in order to run. Availability of future "virtual appliances" applications for Intel vPro technology is dependent on 3rd party software providers. Microsoft Windows required.

* For hard drives and solid state drives, 1 GB = 1 billion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB of system disk is reserved for system recovery software. ⁵ Duplication of copyrighted material is strictly prohibited. Actual speeds may vary. Double Layer media compatibility will widely vary with some home DVD players and DVD-ROM drives. Note that DVD-RAM cannot read or write to 2.6GB Single Sided/5.2 Double Sided-Version 1.0 Media. No support for DVD RAM.

⁶ With Blu-Ray, certain disc, digital connection, compatibility and/or performance issues may arise, and do not constitute defects in the product. Flawless playback on all systems is not guaranteed. In order for some Blu-ray titles to play, they may require a DVI or HDMI digital connection and your display may require HDCP support. HD-DVD movies cannot be played on this Desktop PC.

⁷ HP VR Ready Configurations available.

⁸ For systems installed with Microsoft Windows 7 (Ultimate, Enterprise or Professional), the maximum accessible system memory is 192 GB. For systems installed with Microsoft Windows 8.x (Enterprise or Pro), the maximum accessible system memory is 512 GB.

⁹ Wireless access point and Internet access required. Availability of publis wireless access points limited. The specifications for the 802.11ac WLAN are draft specifications and are not final. If the final specifications differ from the draft specifications, it may affect the ability of the notebook to communicate with other 802.11ac WLAN devices.

¹⁰ Optional or add-on feature.

11 EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country. Search keyword generator on HP's 3rd party option store for solar generator accessories at http://www.hp.com/go/options www.hp.com/go/options

¹² External power supplies, power cords, cables and peripherals are not low halogen. Service parts obtained after purchase may not be low halogen.

¹³ HP Remote Graphics Software requires a Windows, Linux[®], or Mac[®]OS X 10.10 and newer operating system and network access.

14 HP Sure Start Gen3 is available on HP EliteBook, HP ZBook, and HP Z Workstation products equipped with Intel® 7th generation processors.

15 HP Secure Erase: For the methods outlined in the National Institute of Standards and Technology Special Publication 800-88. Supported on Elite platforms with BIOS version F.03 or higher. ¹⁶ Each bay is configurable to 2.5" or 3.5".

¹⁷ The AMD Radeon[™] Pro WX 4100 Graphics is available only as an aftermarket option. ¹⁸ HP Keyed Cable Lock Kit is available only as an aftermarket option.

¹⁹ Available the first half of 2018.

20 Windows 10 Pro is preinstalled. Windows 7 media is only available upon request from HP Customer Support. You may only use one version of the Windows software at a time. Switching between versions will require you to uninstall one version and install the other version. You must back up all data (files, photos, etc.) before uninstalling and installing operating systems to avoid loss of your data.

²¹ NOTE: In accordance with Microsoft's support policy, HP does not support the Windows 8 or Windows 7 operating system on products configured with Intel and AMD 7th generation and forward processors or provide any

Windows 8 or Windows 7 drivers on http://www.support.hp.com.

Sign up for updates hp.com/go/getupdated

Copyright © 2017 HP Development Company, L.P. The only warranties for HP products are set forth in the express limited warranty statements accompanying such products. Nothing herein should be construed as constituting an additional warranty HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel. Xeon and Intel vPro are trademarks of Intel Corporation or isubsidiaries in the U.S. and/or other countries. Bluetooth is a trademark of its proprietor and used by HP Inc. under license. USB Type-C™ and USB-C™ are trademarks of USB Implementers Forum. ENERGY STAR is a registered trademark of the U.S. Environmental Protection Agency. DisplayPort™ and the DisplayPortTM logo are trademarks owned by the Video Electronics Standards Association (VESA[®]) in the United States and other countries. AMD and Radeon are trademarks of Advanced Micro Devices, Inc. NVIDIA. The NVIDIA logo and Quadro are trademarks and/or registered trademarks of NVIDIA Corporation in the U.S. and other countries. All other trademarks are the property of their respective owners.



4AA7-1580EEAP. November 2017