PN 901147
UPC 7 84090 03796 1

USB 3.0 Universal 2K Docking Station

Key Features:
- Universal Compatibility for USB 3.0 Systems
- Supports up to 2 external displays
- 3x SuperSpeed USB 3.0 Ports
- 1x DisplayPort
- 1x HDMI Port
- 1x VGA Port
- 1x RJ45 Ethernet Port (10/100/1000 Mbps)
- Kensington™ Security Lock Slot
- Enterprise Features
  - ° Wake on LAN
  - ° MAC Address Pass-Through
  - ° PXE Boot

The VisionTek VT1000 Dual Display Universal USB 3.0 Docking Station allows you to easily connect your Windows™, Mac™ OS or Chrome™ OS laptop to dual displays and some of the most popular connection ports through a single USB 3.0 connection. This high-quality dock is a single-cable solution that enables you to take full advantage of up to two displays and Full HD technology, even if it isn't natively supported by your system's video card.

- Universally Compatible USB 3.0 – Windows™, Mac™ and Chrome™, the VT1000 is compatible through the single, included USB 3.0 Type A Cable, making this an ideal docking station for most computer environments and users on the go.

- Connect Up to Two External Displays – The VT1000 has DisplayPort, HDMI and VGA ports that can power dual displays at resolutions up to 2048 x 1152 or single displays at resolutions up to 2560 x 1600. (Resolutions vary depending upon number of connections and connection type.)

- Small and Light - Ideal for on the go users who need quick access to expanded ports and universal compatibility.

- Kensington™ Lock Slot – Busy business environments can provide quick plug and play compatibility without worry, secure the VT1000 with the Kensington™ Lock system.

- Expanded Port Connections – Compatibility and versatility are the goals with the VT1000, by offering some of the most commonly needed ports in one dock using the included USB 3.0 cable.

  - ° 1x DP, 1x HDMI and 1x VGA port offer flexible display connections, supporting up to two external displays to expand your workspace.

  - ° 3x USB 3.0 ports let you connect external storage, full size keyboard and mouse, or mobile devices.

  - ° Combination 3.5mm Audio In/Out port gives you a single connection option for music or video conference listening.

  - ° RJ 45 Ethernet port supporting 10/100/1000 Mbps to keep you wired to the internet, avoiding Wi-Fi connection or security concerns.

VisionTek®

DisplayLink
4K Plug and Display™

HI-SPEED
CERTIFIED USB

Part Number: 901147 | UPC Code: 7 84090 03796 1

Front

USB 3.0
Port

3.5mm Combo
Input/Output Audio Jack

Power Indicator
Light

Sides

Kensington™
Security Lock Slot

Back

VGA
Port

HDMI
Port

DisplayPort
Port

Gigabit
Ethernet
Port

USB 3.0
Port

USB 3.0
Type-B
to System
Port

DC 5V
Power Input
Port

VisionTek®

VT1000 - Dual Display Universal USB 3.0 Docking Station

Part Number: 901147 | UPC Code: 7 84090 03796 1

System Requirements

Operating Systems Supported	Windows™ 10, 8.1, 7 | MacOS™ X | Chrome™
System Resource Requirement	**System with USB 3.0/3.1 USB**

Dock to System Connection

Dock Connector	**USB 3.0 Type-B Port (USB 3.0 A to B Cable included)**

Video Connections

DisplayPort	**1x DisplayPort Port** **Dual Resolutions up to 2048 x 1152 @60Hz** **Single Resolution up to 2560 x 1440 @60Hz**
HDMI	**1x HDMI Port** **Dual Resolutions up to 2048 x 1152 @60Hz** **Single Resolution up to 2560 x 1440 @60Hz**
VGA	**1x VGA Port** **Dual Resolutions up to 1920 x 1080 @60Hz** **Single Resolution up to 1920 x 1080 @60Hz**

USB Connections

Front	**2x USB 3.0 Type-A Port**
Back	**1x USB 3.0 Type-A Port**

Additional Ports

Back	**1x USB-B Port (Connect to System)**

Network Connections

Ethernet Port	**RJ45 (10/100/1000 Mbps)**

Audio Connections

Audio Connectors	**3.5mm Combo Audio Input/Output Port - Front**
Audio Channels Supported	**Stereo**

Power and Environmental

Power	**DC5V/4A 20W Power Adapter**
Operating Temperature	0 to 40° C (32 to 104° F)
Storage Temperature	-10 to 70° C (14 to 158° F)
Relative Humidity	**10% to 90% non-condensing - Operational** **10% to 90% non-condensing - Storage**

Technology Information

Integrated Chip Sets (IC)	DisplayLink™ DL3900

VisionTek®

VT1000 - Dual Display Universal USB 3.0
Docking Station

Part Number: 901147 | UPC Code: 7 84090 03796 1

Dock
Specifications

Product Dimensions

Product Dimensions	Length: 5.97" (151mm) Depth: 2.88" (74mm) Height: 0.88" (23mm)
Product Weight	0.5lbs (227g)
Included Cable Length	3 feet (1M)
Product Color and Material	Black ABS

Packaging Dimensions

Packaging Style	Retail Box
Packaging Specifications	Length: 10.6" (270mm) Depth: 5.8" (148mm) Height: 2" (51mm) Weight: 2 lbs 8oz (1134g)
Master Carton	20 pcs
Individual Package Contents	1x VT1000 Dock 1x DC5V/4A 20W Power Adapter 1x USB 3.0 Type-B to USB 3.0 Type-A Cable (3ft/1M) 1x User Manual

Country of Origin and Warranty Information

Country of Origin	China
Certifications and Compliance	CE, FCC, REACH, RoHS, WEEE, DP 1.4 Certified
Warranty	2-Year Limited

Additional Features

Security	Kensington™ Security Lock Slot

Compatible Recommendations

Cables	VisionTek DP to DP 2M Cable - PN 901211 VisionTek HDMI Pivot 1M Cable - PN 900811 VisionTek HDMI to DVI-D 1M Cable - PN 900742
External Storage	VisionTek 1TB XT USB 3.0 Pocket SSD - PN 901241

FOR MORE INFORMATION CONTACT: 1-866-883-5411 | sales@visiontek.com

VisionTek®

DisplayLink™
4K Plug and Display™

HI-SPEED CERTIFIED USB