HP ProOne 600 G5 21.5-in All-in-One Business PC (7YF58UT)



The versatile AiO for your growing business

The HP ProOne 600 AiO is a sound investment that can be quickly deployed into demanding environments with a micro-edge, anti-glare display, strong security, and comprehensive manageability features.



HP recommends Windows 10 Pro.

Sleek, modern design

Featuring extensive cable management and a sleek design, this AiO suits the front desk or an owner's office. The micro-edge, anti-glare 21.5-inch diagonal IPS display provides plenty of workspace.

Powerful options

Get high-performance and expansion with a 9th Gen Intel® Core™ processor[2] and USB Type-C™.

Built on a secure foundation

Protect your PC against the evolving malware threats of the future, with our self-healing, hardware-enforced, and manageable security solutions. From the BIOS to the browser, HP Sure Start Gen5[6] and HP Sure Click[7] help secure your PC.

Specifications

Form factor All-in-one Operating system Windows 10 Pro 64	
Processor family Intel® Pentium® Gold processor Intel® Pentium® Gold 65420 with Intel® UHD Graphics 610 (3.8 GHz base frequency, 4 MB cache, 2 cores) ^[6] Chipset Intel® Q370 (non-vPro) ^[34] Memory 4 GB DDR4-2666 SDRAM (1 X 4 GB) Memory Slots 2 SODIMM Internal Storage 500 GB 7200 rpm SATA Internal drive bays One 2.5° Optical drive HP 9.5 mm Slim DVD-Writer Graphics Integrated Intel® UHD Graphics 610 Display 54.61 cm (21.5°) diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Display 21.5° diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Audio Conexant CX3601 codec, 2 W internal stereo speaker, headset and headphone side port (3.5 mm), multi-stream capable Minimum dimensions (W x D x H) 48.91 x 20.85 x 36.37 cm (With adjustable height stand.) Minimum dimensions (W x D x H) 19,26 x 8.21 x 14.32 ln (With adjustable height stand.) Weight 12.74 lb (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Keyboard USB Business Slim Wired Keyboard Pointing device HP USB Optical Mouse Webcam 1 MP HD webcam with integrated digital microphone, maximum resolution of 1280 x 720 ^[17] 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C™; 1 USB 3.1 Gen 1; 1 USB 3.1 Gen 1 (charging) 1 M.2 22300 slot for WLAN and 1 M.2 2230/2280 slot for storage.)	
Processor Intel® Pentium® Gold G5420 with Intel® UHD Graphics 610 (3.8 GHz base frequency, 4 MB cache, 2 cores) ^[6] Chipset Intel® Q370 (non-vPro) ^[34] Memory 4 GB DDR4-2666 SDRAM (1 X 4 GB) Memory 5lots 2 SODIMM Internal Storage 500 GB 7200 rpm SATA Internal drive bays One 2.5" Optical drive HP 9.5 mm Slim DVD-Writer Graphics Integrated Intel® UHD Graphics 610 Display 54.61 cm (21.5") diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Display 21.5" diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Minimum dimensions (W x D x H) 48.91 x 20.85 x 36.37 cm (With adjustable height stand.) Minimum dimensions (W x D x H) 19.5 x 8.8 y (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Weight 12.74 lb (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Keyboard USB Business Slim Wired Keyboard Pointing device HP USB Optical Mouse Webcam 1 MP HD webcam with integrated digital microphone, maximum resolution of 1280 x 720 ^[17] Ports [1 Na 2 2230 1 Na 2 2230 2280 (1 M.2 2230 220 10 Na 2 2230 220 2230 20 to for WLAN and 1 M.2 2230/2280 slot for storage.)	
Chipset Intel* Q370 (non-vPro) ^[34] Memory 4 GB DDR4-2666 SDRAM (1 X 4 GB) Memory Slots 2 SODIMM Internal Storage 500 GB 7200 rpm SATA Internal drive bays One 2.5" Optical drive HP 9.5 mm Slim DVD-Writer Graphics Integrated Graphics (integrated) Intel* UHD Graphics 610 Display 54.61 cm (21.5") diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Display 21.5" diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Audio Conexant CX3601 codec, 2 W internal stereo speaker, headset and headphone side port (3.5 mm), multi-stream capable Minimum dimensions (W x D x H) 48.91 x 20.85 x 36.37 cm (With adjustable height stand.) Weight 19.26 x 8.21 x 14.32 in (With adjustable height stand.) Weight 19.26 x 8.21 x 14.32 in (With adjustable height stand.) Weight will vary by configuration.) Weight 12.74 lb (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Weight 12.74 lb (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Keyboard USB Business Slim Wired Keyboard Pointing device HP USB Optical Mouse Webcam <th></th>	
Memory 4 GB DDR4-2666 SDRAM (1 X 4 GB) Memory Slots 2 SODIMM Internal Storage 500 GB 7200 rpm SATA Internal drive bays One 2.5" Optical drive HP 9.5 mm Slim DVD-Writer Graphics Integrated Graphics (Integrated) Intel® UHD Graphics 610 Display 54.61 cm (21.5") diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Display 21.5" diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Audio Conexant CX3601 codec, 2 W internal stereo speaker, headset and headphone side port (3.5 mm), multi-stream capable Minimum dimensions (W x D x H) 48.91 x 20.85 x 36.37 cm (With adjustable height stand.) Weight 19.26 x 8.21 x 14.32 in (With adjustable height stand.) Weight 5.78 kg (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Weight 12.74 lb (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Keyboard USB Business Slim Wired Keyboard Pointing device HP USB Optical Mouse Webcam 1 MP HD webcam with integrated digital microphone, maximum resolution of 1280 x 720 ^[17] Ports 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C™; 1 USB 3	
Memory Slots 2 SODIMM Internal Storage 500 GB 7200 rpm SATA Internal drive bays One 2.5° Optical drive HP 9.5 mm Slim DVD-Writer Graphics Integrated Graphics (integrated) Intel® UHD Graphics 610 Display 54.61 cm (21.5°) diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Audio Conexant CX3601 codec, 2 W internal stereo speaker, headset and headphone side port (3.5 mm), multi-stream capable Minimum dimensions (W x D x H) 48.91 x 20.85 x 36.37 cm (With adjustable height stand.) Minimum dimensions (W x D x H) 19.26 x 8.21 x 14.32 in (With adjustable height stand.) Weight 5.78 kg (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Weight 12.74 lb (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Keyboard USB Business Slim Wired Keyboard Pointing device HP USB Optical Mouse Webcam 1 MP HD webcam with integrated digital microphone, maximum resolution of 1280 x 720 ^[17] Ports 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C™; 1 USB 3.1 Gen 1; 1 USB 3.1 Gen 1 Expansion slots 1 M.2 2230; 1 M.2 2230/2280 (1 M.2 2230 slot for WLAN and 1 M.2 2230/228	
Internal Storage Internal drive bays One 2.5" Optical drive HP 9.5 mm Slim DVD-Writer Graphics Integrated Integrated Integrated) Intel® UHD Graphics 610 Display 54.61 cm (21.5") diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Display 21.5" diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Conexant CX3601 codec, 2 W internal stereo speaker, headset and headphone side port (3.5 mm), multi-stream capable Minimum dimensions (W x D x H) Minimum dimensions (W x D x H) Weight 19.26 x 8.21 x 14.32 in (With adjustable height stand.) Weight 12.74 lb (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Weight 12.74 lb (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Keyboard USB Business Slim Wired Keyboard Pointing device Webcam 1 MP HD webcam with integrated digital microphone, maximum resolution of 1280 x 720 ^[17] 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C™; 1 USB 3.1 Gen 1; 1 USB 3.1 Gen 1 (charging) Expansion slots 1 M.2 2230; 1 M.2 2230/2280 (1 M.2 2230 slot for WLAN and 1 M.2 2230/2280 slot for storage.)	
Internal drive bays Optical drive HP 9.5 mm Slim DVD-Writer Graphics Integrated Integrated Intel® UHD Graphics 610 Display 54.61 cm (21.5") diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Display 21.5" diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Conexant CX3601 codec, 2 W internal stereo speaker, headset and headphone side port (3.5 mm), multi-stream capable Minimum dimensions (W x D x H) Minimum dimensions (W x D x H) Weight 19.26 x 8.21 x 14.32 in (With adjustable height stand.) Weight (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Weight 12.74 lb (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Keyboard USB Business Slim Wired Keyboard Pointing device HP USB Optical Mouse Webcam 1 MP HD webcam with integrated digital microphone, maximum resolution of 1280 x 720 ^[17] 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C™; 1 USB 3.1 Gen 1; 1 USB 3.1 Gen 1 (charging) Expansion slots 1 M.2 2230; 1 M.2 2230/2280 (1 M.2 2230 slot for WLAN and 1 M.2 2230/2280 slot for storage.)	
Optical drive HP 9.5 mm Slim DVD-Writer Graphics Integrated Graphics (integrated) Intel® UHD Graphics 610 Display 54.61 cm (21.5") diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Display 21.5" diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Audio Conexant CX3601 codec, 2 W internal stereo speaker, headset and headphone side port (3.5 mm), multi-stream capable Minimum dimensions (W x D x H) 48.91 x 20.85 x 36.37 cm (With adjustable height stand.) Minimum dimensions (W x D x H) 19.26 x 8.21 x 14.32 in (With adjustable height stand.) Weight 5.78 kg (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Weight 12.74 lb (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Keyboard USB Business Slim Wired Keyboard Pointing device HP USB Optical Mouse Webcam 1 MP HD webcam with integrated digital microphone, maximum resolution of 1280 x 720 ^[17] Ports 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C™; 1 USB 3.1 Gen 1; 1 USB 3.1 Gen 1 (charging) Expansion slots 1 M.2 2230; 1 M.2 2230/2280 (1 M.2 2230 /2280 slot for WLAN and 1 M.2 2230/2280 slot for storage.)	
Graphics Integrated Graphics (integrated) Intel® UHD Graphics 610 Display 54.61 cm (21.5°) diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Display 21.5° diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Audio Conexant CX3601 codec, 2 W internal stereo speaker, headset and headphone side port (3.5 mm), multi-stream capable Minimum dimensions (W x D x H) 48.91 x 20.85 x 36.37 cm (With adjustable height stand.) Minimum dimensions (W x D x H) 19.26 x 8.21 x 14.32 in (With adjustable height stand.) Weight 5.78 kg (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Weight 12.74 lb (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Keyboard USB Business Slim Wired Keyboard Pointing device HP USB Optical Mouse Webcam 1 MP HD webcam with integrated digital microphone, maximum resolution of 1280 x 720 ^[17] Ports 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C™; 1 USB 3.1 Gen 1; 1 USB 3.1 Gen 1 (charging) Expansion slots 1 M.2 2230; 1 M.2 2230/2280 (1 M.2 2230/2280 slot for storage.)	
Graphics (integrated) Intel® UHD Graphics 610 Display 54.61 cm (21.5") diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Display 21.5" diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Audio Conexant CX3601 codec, 2 W internal stereo speaker, headset and headphone side port (3.5 mm), multi-stream capable Minimum dimensions (W x D x H) 48.91 x 20.85 x 36.37 cm (With adjustable height stand.) Minimum dimensions (W x D x H) 19.26 x 8.21 x 14.32 in (With adjustable height stand.) Weight 5.78 kg (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Weight 12.74 lb (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Keyboard USB Business Slim Wired Keyboard Pointing device HP USB Optical Mouse Webcam 1 MP HD webcam with integrated digital microphone, maximum resolution of 1280 x 720 ^[17] Ports 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C™; 1 USB 3.1 Gen 1; 1 USB 3.1 Gen 1 (charging) Expansion slots 1 M.2 2230; 1 M.2 2230/2280 (1 M.2 2230/2280 slot for WLAN and 1 M.2 2230/2280 slot for storage.)	
Display 54.61 cm (21.5") diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Display 21.5" diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Audio Conexant CX3601 codec, 2 W internal stereo speaker, headset and headphone side port (3.5 mm), multi-stream capable Minimum dimensions (W x D x H) 48.91 x 20.85 x 36.37 cm (With adjustable height stand.) Minimum dimensions (W x D x H) 19.26 x 8.21 x 14.32 in (With adjustable height stand.) Weight 5.78 kg (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Weight 12.74 lb (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Keyboard USB Business Slim Wired Keyboard Pointing device HP USB Optical Mouse Webcam 1 MP HD webcam with integrated digital microphone, maximum resolution of 1280 x 720 ^[17] Ports 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C TM ; 1 USB 3.1 Gen 1; 1 USB 3.1 Gen 1 (charging) Expansion slots 1 M.2 2230; 1 M.2 2230/2280 (1 M.2 2230/2280 slot for storage.)	
Display 21.5" diagonal FHD IPS widescreen LCD anti-glare WLED-backlit (1920 x 1080) Conexant CX3601 codec, 2 W internal stereo speaker, headset and headphone side port (3.5 mm), multi-stream capable Minimum dimensions (W x D x H) Possible 19.26 x 8.21 x 14.32 in (With adjustable height stand.) Weight 5.78 kg (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Weight 12.74 lb (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Keyboard USB Business Slim Wired Keyboard Pointing device HP USB Optical Mouse Webcam 1 MP HD webcam with integrated digital microphone, maximum resolution of 1280 x 720 ^[17] 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C™; 1 USB 3.1 Gen 1; 1 USB 3.1 Gen 1 (charging) Expansion slots 1 M.2 2230; 1 M.2 2230/2280 (1 M.2 2230 /2280 slot for storage.)	
Audio Conexant CX3601 codec, 2 W internal stereo speaker, headset and headphone side port (3.5 mm), multi-stream capable Minimum dimensions (W x D x H) 48.91 x 20.85 x 36.37 cm (With adjustable height stand.) Minimum dimensions (W x D x H) 19.26 x 8.21 x 14.32 in (With adjustable height stand.) Weight 5.78 kg (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Weight 12.74 lb (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Keyboard USB Business Slim Wired Keyboard Pointing device HP USB Optical Mouse Webcam 1 MP HD webcam with integrated digital microphone, maximum resolution of 1280 x 720 ^[17] 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C™; 1 USB 3.1 Gen 1; 1 USB 3.1 Gen 1 (charging) Expansion slots 1 M.2 2230; 1 M.2 2230/2280 (1 M.2 2230 slot for WLAN and 1 M.2 2230/2280 slot for storage.)	
Audio capable Minimum dimensions (W x D x H) Solve the dijustable height stand.) Weight 5.78 kg (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Weight 12.74 lb (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Keyboard USB Business Slim Wired Keyboard Pointing device HP USB Optical Mouse Webcam 1 MP HD webcam with integrated digital microphone, maximum resolution of 1280 x 720 ^[17] 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C™; 1 USB 3.1 Gen 1; 1 USB 3.1 Gen 1 (charging) Expansion slots 1 M.2 2230; 1 M.2 2230/2280 (1 M.2 2230 slot for WLAN and 1 M.2 2230/2280 slot for storage.)	
Minimum dimensions (W x D x H) (With adjustable height stand.) Weight 5.78 kg (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Weight 12.74 lb (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Keyboard Pointing device HP USB Optical Mouse Webcam 1 MP HD webcam with integrated digital microphone, maximum resolution of 1280 x 720 ^[17] 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C™; 1 USB 3.1 Gen 1; 1 USB 3.1 Gen 1 (charging) Expansion slots 1 M.2 2230; 1 M.2 2230/2280 (1 M.2 2230 slot for WLAN and 1 M.2 2230/2280 slot for storage.)	ınıng
Weight S.78 kg	
Weight (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Weight 12.74 lb (Lowest weight configuration with adjustable height stand. Weight will vary by configuration.) Keyboard USB Business Slim Wired Keyboard Pointing device HP USB Optical Mouse Webcam 1 MP HD webcam with integrated digital microphone, maximum resolution of 1280 x 720 ^[17] Ports 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C™; 1 USB 3.1 Gen 1; 1 USB 3.1 Gen 1 (charging) Expansion slots 1 M.2 2230; 1 M.2 2230/2280 (1 M.2 2230/2280 slot for WLAN and 1 M.2 2230/2280 slot for storage.)	
Keyboard USB Business Slim Wired Keyboard Pointing device HP USB Optical Mouse Webcam 1 MP HD webcam with integrated digital microphone, maximum resolution of 1280 x 720 ^[17] Ports 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C™; 1 USB 3.1 Gen 1; 1 USB 3.1 Gen 1 (charging) Expansion slots 1 M.2 2230; 1 M.2 2230/2280 (1 M.2 2230/2280 slot for WLAN and 1 M.2 2230/2280 slot for storage.)	
Pointing device HP USB Optical Mouse Webcam 1 MP HD webcam with integrated digital microphone, maximum resolution of 1280 x 720 ^[17] Ports 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C™; 1 USB 3.1 Gen 1; 1 USB 3.1 Gen 1 (charging) Expansion slots 1 M.2 2230; 1 M.2 2230/2280 (1 M.2 2230/2280 slot for WLAN and 1 M.2 2230/2280 slot for storage.)	
Webcam 1 MP HD webcam with integrated digital microphone, maximum resolution of 1280 x 720 ^[17] Ports 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C™; 1 USB 3.1 Gen 1; 1 USB 3.1 Gen 1 (charging) Expansion slots 1 M.2 2230; 1 M.2 2230/2280 (1 M.2 2230/2280 slot for WLAN and 1 M.2 2230/2280 slot for storage.)	
Ports 1 headphone/microphone combo; 1 SD 3.0 card reader; 1 USB 2.0 Type-C™; 1 USB 3.1 Gen 1; 1 USB 3.1 Gen 1 Expansion slots 1 M.2 2230; 1 M.2 2230/2280 (1 M.2 2230 slot for WLAN and 1 M.2 2230/2280 slot for storage.)	
Expansion slots (charging) Expansion slots 1 M.2 2230; 1 M.2 2230/2280 (1 M.2 2230 slot for WLAN and 1 M.2 2230/2280 slot for storage.)	
(1 M.2 2230 slot for WLAN and 1 M.2 2230/2280 slot for storage.)	
Ports 1 DisplayPort™ 1.2; 1 power connector; 1 RJ-45; 2 USB 3.1 Gen 1	
Ports 1 DisplayPort™ 1.2; 1 serial; 1 HDMI 2.0	
Package dimensions (W x D x H) 59.6 x 24.6 x 46.8 cm	
Package weight 9.37 kg	
Network interface Intel® I219LM GbE	
Network interface type LAN	
Network interface type WLAN	
Network interface Intel® Dual Band Wireless-AC 9560 802.11ac (2x2) and Bluetooth® M.2 PCIe®, non-vPro™	
Power 120 W external power adapter, up to 88% efficiency, active PFC	
Energy efficiency ENERGY STAR® certified	
ENERGY STAR® certified ENERGY STAR®	
HP BIOS Config Utility (download); HP Client Catalog (download); HP Cloud Recovery; HP Driver Packs (download) HP Image Assistant; HP Management Integration Kit for Microsoft System Center Configuration Management G HP System Software Manager (download); Ivanti Management Suite; Update BIOS via Cloud or Network (BIOS feature) [10,31,32,37]	t Gen 2;
Environmental Low halogen	
DriveLock; Hood sensor; HP BIOSphere with Sure Start; HP Client Security Suite Gen 3; HP Credential Manager; Password Manager; HP Power On Authentication; HP Spare Key; Intel® Identity Protection Technology (Intel® IF Power-on password (via BIOS); Removable media write/boot control; SATA port disablement (via BIOS); Setup password (via BIOS); USB enable/disable (via BIOS); Master Boot Record Security; Pre-boot Authentication; Seri enable/disable (via BIOS); Trusted Platform Module TPM 2.0 Embedded Security Chip shipped with Windows 10 (Common Criteria EAL4+ Certified)(FIPS 140-2 Level 2 Certified); Support for table lock; Support for chassis cal lock devices; HP Sure Start Gen 5; HP Sure Sense ^[7,15,24,25,30,33]	IPT); o erial 10

Software	Absolute Persistence module; Buy Office (sold separately); HP Hotkey Support; HP JumpStarts; HP LAN-Wireless Protection; HP Noise Cancellation Software; HP Secure Erase; HP Support Assistant; HP Sure Click; HP Wireless Wakeup; Native Miracast Support; Skype for Business Certified; Windows Defender ^[9,21,23,26,27,28,29]
Warranty	3 year (3-3-3) limited warranty and service offering includes 3 years of parts, labor and on-site repair. Includes free 24/7 telephone support. Terms and conditions vary by country. Certain restrictions and exclusions apply.

Accessories and services

No Recommended Accessories and Services

Messaging Footnotes

- [2] Multi-Core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.
- [6] HP Sure Start Gen5 is available on select HP PCs with Intel® processors. See product specifications for availability.
- [7] HP Sure Click is available on select HP platforms and supports Microsoft Internet Explorer, Google ChromeTM, and ChromiumTM. Supported attachments include Microsoft Office (Word, Excel, PowerPoint) and PDF files in read only mode, when Microsoft Office or Adobe Acrobat are installed.

Technical Specifications Footnotes

- [6] Multi-core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.
- [7] Intel® Identity Protection Technology (Intel® IPT): Models configured with Intel® Core™ processors have the ability to utilize advanced security protection for online transactions. Intel® Identity Protection Technology (Intel® IPT) used in conjunction with participating web sites, provides double identity authentication by adding a hardware component in addition to the usual user name and password. Intel® Identity Protection Technology (Intel® IPT) is initialized through an HP Client Security module.
- [9] Absolute Persistence module: is shipped turned off, and will be activated when customers activate a purchased subscription. Subscriptions can be purchased for terms ranging multiple years. Service is limited, check with Absolute for availability outside the U.S. The Absolute Recovery Guarantee is a limited warranty. Certain conditions apply. For full details visit: http://www.absolute.com/company/legal/agreements/ computrace-agreement. Data Delete is an optional service provided by Absolute Software. If utilized, the Recovery Guarantee is null and void. In order to use the Data Delete service, customers must first sign a Pre-Authorization Agreement and either obtain a PIN or purchase one or more RSA SecurID tokens from Absolute Software.
- [10] HP Driver Packs: not preinstalled, however available for download at http://www.hp.com/qo/clientmanagement.
- [15] Hood sensor: Sold separately or as an optional feature.
- [17] Sold separately or as an optional feature.
- [21] Native Miracast Support: is a wireless technology your PC can use to project your screen to TVs, projectors, and streaming.
- [23] HP Support Assistant: requires Windows and Internet access.
- [24] HP Sure Start Gen5 is available on select HP PCs with Intel® processors. See product specifications for availability.
- [25] HP BIOSphere Gen5 is available on select HP Pro and Elite PCs. See product specifications for details. Features may vary depending on the platform and configurations.
- [26] Windows Defender Opt In, Windows 10, and internet connection required for updates.
- [27] HP Sure Click is available on select HP platforms and supports Microsoft Internet Explorer, Google Chrome™, and Chromium™. Supported attachments include Microsoft Office (Word, Excel, PowerPoint) and PDF files in read only mode, when Microsoft Office or Adobe Acrobat are installed.
- [28] HP Secure Erase: for the methods outlined in the National Institute of Standards and Technology Special Publication 800-88 "Clear" sanitation method.
- [29] Skype for Business Certified: Sold separately or as an optional feature.
- [30] HP Password Manager: requires Internet Explorer or Chrome™ or FireFox. Some websites and applications may not be supported. User may need to enable or allow the add-on / extension in the internet browser.
- [31] HP Management Integration Kit for Microsoft System Center Configuration Management Gen 2: can be downloaded from http://www8.hp.com/us/en/ads/clientmanagement/overview.html.
- [32] Ivanti Management Suite: subscription required.
- [33] HP Client Security Manager Gen5 requires Windows and is available on select HP Pro and Elite PCs. See product specifications for details.
- [34] For full Intel® vPro™ functionality, Windows, a vPro supported processor, vPro enabled chipset, vPro enabled wired LAN card and discrete TPM 2.0 are required. See http://intel.com/vpro
- [37] HP Cloud Recovery is available for HP Elite and Pro desktops and laptops PCs with Intel® or AMD processors and requires an open, wired network connection. Note: You must back up important files, data, photos, videos, etc. before use to avoid loss of data. Detail please refer to: https://support.hp.com/us-en/document/c05115630.

Learn more at

hp.com

© Copyright 2019 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Bluetooth is a trademark of its proprietor and used by HP Inc. under license. Intel, Pentium, Celeron, Optane, vPro, the Intel logo, Intel Core, and Core Inside are trademarks or registered trademarks of Intel Corporation or its subsidiaries in the United States and other countries. USB Type-C™ and USB-C™ are trademarks of USB Implementers Forum. Adobe PDF is a trademark of Adobe Systems Incorporated. ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency. DisplayPort™ and the DisplayPort™ logo are trademarks owned by the Video Electronics Standards Association (VESA®) in the United States and other countries. All other trademarks are the property of their respective owners.

