### **Overview**



#### Breakthrough performance, ChromeOS simplicity

Combine commercial-grade performance and ChromeOS simplicity and security with the HP Chromebox G4. Empower your workforce to maximize productivity with a powerful Intel® processor[2], scalable SSD storage[4] and memory[4], and stable Ethernet and Wi-Fi 6E connectivity.[3]

#### Powerful cloud connectivity

Get the most from your cloud experience with the HP Chromebox G4, featuring Ethernet and Wi-Fi 6E.[2]

#### **Equipped with essential ports**

Adapt to your work style with a compact design featuring 2 integrated HDMI ports and a USB-C® port.

#### Easily secured and managed

Help protect device and data and quickly change users for varied purposes with the inherently secure ChromeOS.[1]

#### Build for a better tomorrow

Innovating with purpose and intention to go beyond short-term impact to drive positive, lasting change.

#### **Features**

#### Fast and efficient wireless LAN

The reliability of a fast connection can determine where you work. Get a fast and reliable connection in dense wireless environments with gigabit-speed Wi-Fi 6.<sup>[3]</sup>

### Multiple I/O ports

Set up all the necessary accessories for completing work activities with multiple ports—including two integrated HDMI ports to connect dual 4K monitors. Choose from a variety of HP accessories available to meet your computing needs.<sup>[5]</sup>

[2] Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

- [4] Optional feature that must be configured at the time of purchase.
- [1] See https://support.google.com/chrome/a/answer/6220366?hl=en for more information.
- [3] Wireless access point and internet service required and sold separately. Availability of public wireless access points limited. Wi-Fi 6 is backwards compatible with prior 802.11 specs. The specifications for Wi-Fi 6 (802.11ax) are draft and are not final. If the final specifications differ from the draft specifications, it may affect the ability of the PC to communicate with other 802.11ax devices. Wi-Fi® supporting gigabit speeds is achievable with Wi-Fi 6 (802.11ax) when transferring files between two devices connected to the same router. Requires a wireless router, sold separately, that supports 160MHz channels.
- [5] 4K monitors sold separately and not included. 4K content required to view 4K images. Full HD (FHD) monitors sold separately and not included. Full HD (FHD) content required to view FHD images.

# **Specifications**

Form factor         Mini           Operating system         ChromeOS           Processor family         13th Generation Intel® Core™ i5 processor           Processor         Intel® Core™ i5-1345U (up to 4.7 GHz with Intel® Turbo Boost Technology 12 MB L3 cache, 10 cores, 12 threads) I6.71           Processor technology         Intel® Core™ i5 with vPro® Technology           Memory         8 GB DDR4-3200 MHz RAM (2 x 4 GB)           Memory Slots         2 SODIMM           Internal Storage         64 GB eMMC           Graphics         Integrated           Graphics (integrated)         Integrated           Graphics (integrated)         Intel® Iris® X® Graphics           Audio         Realtek ALC5682I-VS codec, internal beeper, combo microphone/headphone jack           Minimum dimensions (W x D x H)         14.93 x 14.93 x 4 cm           Minimum dimensions (W x D x H)         5.87 x 5.87 x 1.57 in           Ports         2 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo           Ports         2 USB Type-A 10Gbps signaling rate; 2 HDMI 2.0; 1 RJ-45; 1 power connector; 1 USB Type-C® 10Gbps signaling rate (Power Delivery, DisplayPort™)           Package dimensions (W x D x H)         23.5 x 19 x 11 cm           Wireless         Intel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless card           Power         90 W external power adapter, up to 85% ef		
Processor family       13th Generation Intel® Core™ i5-1345U (up to 4.7 GHz with Intel® Turbo Boost Technology 12 MB L3 cache, 10 cores, 12 threads) <sup>[6,7]</sup> Processor       Intel® Core™ i5-1345U (up to 4.7 GHz with Intel® Turbo Boost Technology         Processor technology       Intel® Core™ i5 with vPro® Technology         Memory       8 GB DDR4-3200 MHz RAM (2 x 4 GB)         Memory Slots       2 SODIMM         Internal Storage       64 GB eMMC         Graphics       Integrated         Graphics (integrated)       Intel® Iris® X® Graphics         Audio       Realtek ALC5682I-VS codec, internal beeper, combo microphone/headphone jack         Minimum dimensions (W x D x H)       14.93 x 14.93 x 4 cm         Minimum dimensions (W x D x H)       5.87 x 5.87 x 1.57 in         Ports       2 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo         Ports       2 USB Type-A 10Gbps signaling rate; 2 HDMI 2.0; 1 RJ-45; 1 power connector; 1 USB Type-C® 10Gbps signaling rate (Power Delivery, DisplayPort™)         Package dimensions (W x D x H)       23.5 x 19 x 11 cm         Wireless       Intel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless card         Power       90 W external power adapter, up to 85% efficiency <sup>[5]</sup> Sustainable impact specifications       Low halogen         Security management       Standard lock slot         UPC number<	Form factor	Mini
Processor       Intel® Core™ i5-1345U (up to 4.7 GHz with Intel® Turbo Boost Technology 12 MB L3 cache, 10 cores, 12 threads) [6.7]         Processor technology       Intel® Core™ i5 with vPro® Technology         Memory       8 GB DDR4-3200 MHz RAM (2 x 4 GB)         Memory Slots       2 SODIMM         Internal Storage       64 GB eMMC         Graphics       Integrated         Graphics (integrated)       Intel® Iris® X® Graphics         Audio       Realtek ALC5682I-VS codec, internal beeper, combo microphone/headphone/headphone jack         Minimum dimensions (W x D x H)       14.93 x 14.93 x 4 cm         Minimum dimensions (W x D x H)       5.87 x 5.87 x 1.57 in         Ports       2 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo         Ports       2 USB Type-A 10Gbps signaling rate; 2 HDMI 2.0; 1 RJ-45; 1 power connector; 1 USB Type-C® 10Gbps signaling rate (Power Delivery, DisplayPort™)         Package dimensions (W x D x H)       23.5 x 19 x 11 cm         Wireless       Intel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless card         Power       90 W external power adapter, up to 85% efficiency [5]         Sustainable impact specifications       Low halogen         Security management       Standard lock slot         UPC number       (ABA) 197498120539; (ABL) 197498120553	Operating system	ChromeOS
Processor  12 MB L3 cache, 10 cores, 12 threads) <sup>[6,7]</sup> Processor technology  Memory  8 GB DDR4-3200 MHz RAM (2 x 4 GB)  Memory Slots  2 50DIMM  Internal Storage  64 GB eMMC  Graphics  Integrated  Graphics (integrated)  Intel® Iris® X® Graphics  Audio  Realtek ALC5682I-V5 codec, internal beeper, combo microphone/headphone jack  Minimum dimensions (W x D x H)  Minimum dimensions (W x D x H)  Ports  2 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo  2 USB Type-A 10Gbps signaling rate; 2 HDMI 2.0; 1 RJ-45; 1 power connector; 1 USB Type-C® 10Gbps signaling rate (Power Delivery, DisplayPort™)  Package dimensions (W x D x H)  Wireless  Intel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless card  Power  90 W external power adapter, up to 85% efficiency <sup>[5]</sup> Sustainable impact specifications  Low halogen  Security management  UPC number  (ABA) 197498120539; (ABL) 197498120553	Processor family	13th Generation Intel® Core™ i5 processor
Memory       8 GB DDR4-3200 MHz RAM (2 x 4 GB)         Memory Slots       2 SODIMM         Internal Storage       64 GB eMMC         Graphics       Integrated         Graphics (integrated)       Integrated Prise Xe Graphics         Audio       Realtek ALC5682I-VS codec, internal beeper, combo microphone/headphone jack         Minimum dimensions (W x D x H)       14.93 x 14.93 x 4 cm         Minimum dimensions (W x D x H)       5.87 x 5.87 x 1.57 in         Ports       2 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo         Ports       2 USB Type-A 10Gbps signaling rate; 2 HDMI 2.0; 1 RJ-45; 1 power connector; 1 USB Type-Ce 10Gbps signaling rate (Power Delivery, DisplayPort™)         Package dimensions (W x D x H)       23.5 x 19 x 11 cm         Wireless       Intel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless card         Power       90 W external power adapter, up to 85% efficiency <sup>[5]</sup> Sustainable impact specifications       Low halogen         Security management       Standard lock slot         UPC number       (ABA) 197498120539; (ABL) 197498120553	Processor	Intel® Core™ i5-1345U (up to 4.7 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 10 cores, 12 threads) <sup>[6,7]</sup>
Memory Slots       2 SODIMM         Internal Storage       64 GB eMMC         Graphics       Integrated         Graphics (integrated)       Intel® Iris® X® Graphics         Audio       Realtek ALC5682I-VS codec, internal beeper, combo microphone/headphone jack         Minimum dimensions (W x D x H)       14.93 x 14.93 x 4 cm         Minimum dimensions (W x D x H)       5.87 x 5.87 x 1.57 in         Ports       2 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo         Ports       2 USB Type-A 10Gbps signaling rate; 2 HDMI 2.0; 1 RJ-45; 1 power connector; 1 USB Type-C® 10Gbps signaling rate (Power Delivery, DisplayPort™)         Package dimensions (W x D x H)       23.5 x 19 x 11 cm         Wireless       Intel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless card         Power       90 W external power adapter, up to 85% efficiency <sup>[5]</sup> Sustainable impact specifications       Low halogen         Security management       Standard lock slot         UPC number       (ABA) 197498120539; (ABL) 197498120553	Processor technology	Intel® Core™ i5 with vPro® Technology
Internal Storage64 GB eMMCGraphicsIntegratedGraphics (integrated)Intel® Iris® X® GraphicsAudioRealtek ALC5682I-VS codec, internal beeper, combo microphone/headphone jackMinimum dimensions (W x D x H)14.93 x 14.93 x 4 cmMinimum dimensions (W x D x H)5.87 x 5.87 x 1.57 inPorts2 USB Type-A 10Gbps signaling rate; 1 headphone/microphone comboPorts2 USB Type-A 10Gbps signaling rate; 2 HDMI 2.0; 1 RJ-45; 1 power connector; 1 USB Type-C® 10Gbps signaling rate (Power Delivery, DisplayPort™)Package dimensions (W x D x H)23.5 x 19 x 11 cmWirelessIntel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless cardPower90 W external power adapter, up to 85% efficiency [5]Sustainable impact specificationsLow halogenSecurity managementStandard lock slotUPC number(ABA) 197498120539; (ABL) 197498120553	Memory	8 GB DDR4-3200 MHz RAM (2 x 4 GB)
GraphicsIntegratedGraphics (integrated)Intel® Iris® X® GraphicsAudioRealtek ALC5682I-VS codec, internal beeper, combo microphone/headphone jackMinimum dimensions (W x D x H)14.93 x 14.93 x 4 cmMinimum dimensions (W x D x H)5.87 x 5.87 x 1.57 inPorts2 USB Type-A 10Gbps signaling rate; 1 headphone/microphone comboPorts2 USB Type-A 10Gbps signaling rate; 2 HDMI 2.0; 1 RJ-45; 1 power connector; 1 USB Type-C® 10Gbps signaling rate (Power Delivery, DisplayPort™)Package dimensions (W x D x H)23.5 x 19 x 11 cmWirelessIntel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless cardPower90 W external power adapter, up to 85% efficiency [5]Sustainable impact specificationsLow halogenSecurity managementStandard lock slotUPC number(ABA) 197498120539; (ABL) 197498120553	Memory Slots	2 SODIMM
Graphics (integrated)Intel® Iris® X® GraphicsAudioRealtek ALC5682I-VS codec, internal beeper, combo microphone/headphone jackMinimum dimensions (W x D x H)14.93 x 14.93 x 4 cmMinimum dimensions (W x D x H)5.87 x 5.87 x 1.57 inPorts2 USB Type-A 10Gbps signaling rate; 1 headphone/microphone comboPorts2 USB Type-A 10Gbps signaling rate; 2 HDMI 2.0; 1 RJ-45; 1 power connector; 1 USB Type-C® 10Gbps signaling rate (Power Delivery, DisplayPort™)Package dimensions (W x D x H)23.5 x 19 x 11 cmWirelessIntel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless cardPower90 W external power adapter, up to 85% efficiency [5]Sustainable impact specificationsLow halogenSecurity managementStandard lock slotUPC number(ABA) 197498120539; (ABL) 197498120553	Internal Storage	64 GB eMMC
AudioRealtek ALC5682I-VS codec, internal beeper, combo microphone/headphone jackMinimum dimensions (W x D x H)14.93 x 14.93 x 4 cmMinimum dimensions (W x D x H)5.87 x 5.87 x 1.57 inPorts2 USB Type-A 10Gbps signaling rate; 1 headphone/microphone comboPorts2 USB Type-A 10Gbps signaling rate; 2 HDMI 2.0; 1 RJ-45; 1 power connector; 1 USB Type-C® 10Gbps signaling rate (Power Delivery, DisplayPort™)Package dimensions (W x D x H)23.5 x 19 x 11 cmWirelessIntel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless cardPower90 W external power adapter, up to 85% efficiency [5]Sustainable impact specificationsLow halogenSecurity managementStandard lock slotUPC number(ABA) 197498120539; (ABL) 197498120553	Graphics	Integrated
Audiomicrophone/headphone jackMinimum dimensions (W x D x H)14.93 x 14.93 x 4 cmMinimum dimensions (W x D x H)5.87 x 5.87 x 1.57 inPorts2 USB Type-A 10Gbps signaling rate; 1 headphone/microphone comboPorts2 USB Type-A 10Gbps signaling rate; 2 HDMI 2.0; 1 RJ-45; 1 power connector; 1 USB Type-C® 10Gbps signaling rate (Power Delivery, DisplayPort™)Package dimensions (W x D x H)23.5 x 19 x 11 cmWirelessIntel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless cardPower90 W external power adapter, up to 85% efficiency [5]Sustainable impact specificationsLow halogenSecurity managementStandard lock slotUPC number(ABA) 197498120539; (ABL) 197498120553	Graphics (integrated)	Intel® Iris® Xe Graphics
Minimum dimensions (W x D x H)5.87 x 5.87 x 1.57 inPorts2 USB Type-A 10Gbps signaling rate; 1 headphone/microphone comboPorts2 USB Type-A 10Gbps signaling rate; 2 HDMI 2.0; 1 RJ-45; 1 power connector; 1 USB Type-C® 10Gbps signaling rate (Power Delivery, DisplayPort™)Package dimensions (W x D x H)23.5 x 19 x 11 cmWirelessIntel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless cardPower90 W external power adapter, up to 85% efficiency [5]Sustainable impact specificationsLow halogenSecurity managementStandard lock slotUPC number(ABA) 197498120539; (ABL) 197498120553	Audio	
Ports2 USB Type-A 10Gbps signaling rate; 1 headphone/microphone comboPorts2 USB Type-A 10Gbps signaling rate; 2 HDMI 2.0; 1 RJ-45; 1 power connector; 1 USB Type-C® 10Gbps signaling rate (Power Delivery, DisplayPort™)Package dimensions (W x D x H)23.5 x 19 x 11 cmWirelessIntel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless cardPower90 W external power adapter, up to 85% efficiency [5]Sustainable impact specificationsLow halogenSecurity managementStandard lock slotUPC number(ABA) 197498120539; (ABL) 197498120553	Minimum dimensions (W x D x H)	14.93 x 14.93 x 4 cm
Ports  2 USB Type-A 10Gbps signaling rate; 2 HDMI 2.0; 1 RJ-45; 1 power connector; 1 USB Type-C® 10Gbps signaling rate (Power Delivery, DisplayPort™)  Package dimensions (W x D x H)  23.5 x 19 x 11 cm  Wireless  Intel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless card  Power  90 W external power adapter, up to 85% efficiency [5]  Sustainable impact specifications  Low halogen  Security management  Standard lock slot  UPC number  (ABA) 197498120539; (ABL) 197498120553	Minimum dimensions (W x D x H)	5.87 x 5.87 x 1.57 in
Portsconnector; 1 USB Type-C® 10Gbps signaling rate (Power Delivery, DisplayPort™)Package dimensions (W x D x H)23.5 x 19 x 11 cmWirelessIntel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless cardPower90 W external power adapter, up to 85% efficiency [5]Sustainable impact specificationsLow halogenSecurity managementStandard lock slotUPC number(ABA) 197498120539; (ABL) 197498120553	Ports	2 USB Type-A 10Gbps signaling rate; 1 headphone/microphone combo
WirelessIntel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless cardPower90 W external power adapter, up to 85% efficiency [5]Sustainable impact specificationsLow halogenSecurity managementStandard lock slotUPC number(ABA) 197498120539; (ABL) 197498120553	Ports	connector; 1 USB Type-C® 10Gbps signaling rate (Power Delivery,
Power90 W external power adapter, up to 85% efficiencySustainable impact specificationsLow halogenSecurity managementStandard lock slotUPC number(ABA) 197498120539; (ABL) 197498120553	Package dimensions (W $\times$ D $\times$ H)	23.5 x 19 x 11 cm
Sustainable impact specificationsLow halogenSecurity managementStandard lock slotUPC number(ABA) 197498120539; (ABL) 197498120553	Wireless	Intel® Wi-Fi 6E AX211 (2x2) and Bluetooth® 5.3 wireless card
Security management Standard lock slot  UPC number (ABA) 197498120539; (ABL) 197498120553	Power	90 W external power adapter, up to 85% efficiency <sup>[5]</sup>
UPC number (ABA) 197498120539; (ABL) 197498120553	Sustainable impact specifications	Low halogen
	Security management	Standard lock slot
What's in the box Documentation; External power supply; HP Chromebox	UPC number	(ABA) 197498120539; (ABL) 197498120553
	What's in the box	Documentation; External power supply; HP Chromebox

# Additional specifications

Bluetooth version	Bluetooth® 5.3
Country of origin	Made in China
I/O Port location	Rear
I/O Port location	Front
Memory and storage	8 GB memory; 64 GB eMMC storage
Memory layout (slots & size)	2 x 4 GB
Memory module type	DIMM
Memory size	8
Memory size uom	GB
Memory speed	3200
Memory speed uom	MHz
Memory type	DDR4
Number of memory slots	2
Operating humidity range	10 to 90% RH
Operating temperature range	5 to 35℃
Operating temperature range	41 to 95°F
Package dimensions (W x D x H)	9.25 x 7.48 x 4.33 in
Playbook TS icon OS	http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c03905482.png
Playbook TS icon connectivity	http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201987.png
Playbook TS icon dimensions tower	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201997.png
Playbook TS icon graphics	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169202.png
Playbook TS icon memory	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08267700.png
Playbook TS icon processor	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201972.png
Playbook TS icon storage	http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192819.png
Playbook TS icon weight imperial	http://h10003.www1.hp.com/digmedialib/prodimg/lowres/c05790117.png
Playbook TS icon weight metric	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08267650.png
Processor Brand	Intel®
Processor cache	12 MB L3
Processor core	10
Processor family	Core™ i5
Processor frequency technology	Intel® Turbo Boost Technology
Processor generation	13th Generation

Processor maximum frequency	4.7
Processor maximum frequency uom	GHz
Processor model	1345U
Processor threads	12
Product brand name	HP
Product long name specifications	HP Chromebox G4, ChromeOS, Intel® Core™ i5, 8GB RAM, 64GB eMMC
Product short name specifications	HP Chromebox G4, Intel® Core™ i5, 8GB RAM, 64GB eMMC
Standard memory note	Transfer rates up to 3200 MT/s.
Storage capacity	64
Storage capacity uom 01	GB
Storage type	eMMC
Storage type 01	eMMC
UNSPSC code	43211507
Wireless Model	Wi-Fi 6E AX211
Wireless antenna	2x2
Wireless standard	Wi-Fi 6E
Wireless supplier	Intel®

[5] Not all power supplies are available in every region. 65W is for Intel® Celeron® only, while 90W is for Intel® i5 and i7 only.

[6] Multi-core is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

[7] Intel® Turbo Boost performance varies depending on hardware, software and overall system configuration. See http://www.intel.com/technology/turboboost/ for more information.

## Disclaimer — Copyright

© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.