



# Poly Savi 7210 Office DECT 1920-1930 MHz Single Ear Headset (7W6D4AA)

## Overview

### Move freely, get more done

Help office workers be more productive — it's easier than you think. The Savi 7200 office series of DECT™ wireless headsets for desk phones are crowd pleasers that let workers roam far. Compatible with 800+ desk phones, they're cost effective, too.

### Hands-free productivity

Everyone in the office could use more flexibility. They can roam confidently 400 ft / 120 m from the headset base with up to 12 hours of talk time. And collaboration is simple, since teams can conference up to four headsets on a single base.

### DECT™ Adaptive Power

Optimize range, save power, and maximize office space with the DECT™ adaptive power system. It automatically adjusts wireless signal strength based on distance from the headset base.

### Easy integration

Savi 7200 wireless headsets offer instant integration with over 800 analog and IP desk phones from industry leading makers — including a wide range of phones that Poly offers.

## Features

### Roam farther

Give workers more flexibility and hands-free productivity with a roaming range of up to 120 m / 400 ft from the headset base.

### 12 hours talk time

Build more confidence into every call with up to 12 hours of talk time with each charge.

### Training made easy

Collaboration is easier with conferencing of up to 4 headsets on one base.

### Charge indicator

Provide the peace of mind that comes from knowing headsets are always fully charged with the headset docking charge indicator.

### Keep conversations private

Help make every conversation clearer, with a flexible noise-canceling microphone boom that's easy to adjust for optimal placement on every call.

### Desk phone compatibility

Take advantage of one-stop shopping, since these headsets are compatible with the wide range of phones that Poly offers.

---

## Specifications

Dimensions (W x D x H)	155 x 166 x 67 mm
Dimensions (W x D x H)	6.1 x 6.53 x 2.63 in
Weight	104 g
Weight	0.23 lb
Package dimensions (W x D x H)	185 x 210 x 115 mm
Package weight	300 g
Battery life	Up to 12 hours (talk time)
UPC number	(ABA) 197497169119; (ABB) 197497169126; (ABG) 197192936078; (UUF) 197192599624
Manufacturer Warranty	Poly standard two-year limited warranty
What's in the box	Wireless headset; Office base; AC power adapter; AC interchangeable plugs; Telephone cable; Safety guide; Warranty card; Quick start guide

## Additional specifications

Acoustic protection technology	SoundGuard <sup>[1]</sup>
Battery type	Rechargeable Li-ion polymer
Button user controls	Call answer/end; Mute; Volume +/-; Power on/off
Cartons per layer	10
Cartons per pallet	60
Charge time	<3 hours
Color	Black
Connection type	Wireless: DECT™; Wired: RJ-11
Country of origin	Made in Mexico
ECCN	5A992
Ear cushions	Artificial leather (surface material)
HTS code	8517620090
Headphone type	On-ear (monoaural)
Indicator light	On call
Management Software	Poly Lens; Poly Lens app (desktop)
Microphone bandwidth	100 Hz to 6.8 kHz
Microphone type	Noise cancelling
Multiple order quantity	5
Package dimensions (W x D x H)	7.48 x 8.26 x 2.16 in
Package weight	0.66 lb
Paired devices	Up to 4
Pallet (layers)	6
Pallet dimensions	40 x 48 x 58.66 in
Pallet dimensions (W x D x H)	101.6 x 121.9 x 149 cm
Pallet weight	628.62 lb
Pallet weight	285.14 kg
Products per pallet	300
Products per pallet layer	50
Speaker bandwidth	300 Hz to 3.3 kHz (narrowband mode); 100 Hz to 6.8 kHz (wideband mode)
UNSPSC code	52161514
Wireless range	Up to 120 m from base
Wireless range (imperial)	Up to 400 ft from base

*[1] Protects against Acoustic Shock by limiting sounds to below 118 dBA.*

---

Communication & Collaboration

★ : Recommended

Poly Support Services

3 year Poly+ Savi Service	PSAVI312 ★
3 year Partner Poly+ Savi Service	PSAVI362

## Audio

★ : Recommended

### Audio Accessories

Poly APA-24 (ALCATEL) Electronic Hookswitch TAA	85Q52AA
Poly APC-43 Electronic Hookswitch TAA	85Q55AA
Poly APD-80 Electronic Hookswitch TAA	85Q58AA
Poly APN-91 Electronic Hookswitch TAA	85Q59AA
Poly APP-51 Electronic Hookswitch TAA	85Q60AA
Poly APS-11 Electronic Hookswitch TAA	85Q78AA
Poly APU-76 Electronic Hookswitch TAA	85R00AA
Poly APV-63 Electronic Hookswitch TAA	85R01AA
Poly Busy Light (Angle Plug)	920Q4AA
Poly EHS 3.5mm to 3.5mm Cable	85R17AA
Poly HL10 Handset Lifter	784Q1AA
Poly HL10 Handset Lifter TAA	8R713AA
Poly HL10 Handset Lifter with Straight Plug TAA	784Q2AA
Poly HL10 Lifter Arm +Ring Detector Accessory	8A7E3AA
Poly RD-1 Electronic Hookswitch	85R71AA
Poly Savi 7200 Battery with Removal Tool	85R92AA
Poly Savi 7200 Leatherette Ear Cushion (1 Piece)	85Q53AA
Poly Savi 7200 USB-C Charging Cable	85R96AA
Poly Savi 7210 Monaural DECT 1880-1900 MHz Top	8Y9C0AA
Poly Savi 7210 Monaural DECT 1920-1930 MHz Top	783Q5AA
Poly Savi 7220 Stereo DECT 1880-1900 MHz Top	8Y9C1AA
Poly Savi 7220 Stereo DECT 1920-1930 MHz Top	783Q6AA
Poly Savi D400 DECT 1920-1930 MHz Dongle	8L550AA
Poly Savi D400 Microsoft Teams Certified DECT 1920-1930 MHz Dongle	8L552AA
Poly Savi D400 UC DECT 1880-1890 MHz Dongle	8J8V9AA
Poly Savi D400 UC DECT 1880-1900 MHz Dongle	8J8V7AA
Poly Savi D400 UC DECT 1893-1906 MHz Dongle	8J8V6AA
Poly Savi D400 UC Microsoft Teams Certified DECT 1880-1900 MHz Dongle	8J8W1AA
Poly Savi D400 UC Microsoft Teams Certified DECT 1893-1906 MHz Dongle	8J8W0AA
Poly Savi Office Power Supply with Right Angled Plug -9V 1000mA	8L5A2AA

Poly Savi Office S2 Telephone Cable	85R55AA
Poly Savi Office Straight Plug Online Indicator	85R52AA
Poly Savi Office Telephone Interface Cable	85R57AA
Poly Savi Office Universal AC Power Supply with Straight Plug -9V 1000mA	85R59AA

---

## Disclaimer — Copyright

© Copyright 2025 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – May 02, 2025 7:39 AM UTC+0000